

Aladdin Temp-Rite®




P.O. Box 2978, Hendersonville, TN 37077-2978

1-800-888-8018 or 615-537-3600

Fax 1-888-812-9956 www.aladdintemprite.com

...better by degrees.

ENCLOSED TRAY DELIVERY CABINETS ET20, ET24 & ET20TH



Model Shown
ET20TH

INSTALLATION, OPERATION & MAINTENANCE MANUAL

Manual P/N 93502
Rev. B 05/05/2005

ENCLOSED TRAY DELIVERY CABINETS

CONTENTS

I. MODELS	3
II. RECEIVING INSPECTIONS	3
III. INSTALLATION	4
IV. CLEANING	4
V. CABINET TOWING SAFETY	5
VI. PARTS LIST/DRAWINGS	6
VII. SERVICE	8
VIII. WARRANTY	8

Copyright © 1999 Aladdin Temp-Rite
Changes may be made to the information in this document.
Any changes will be incorporated in new editions of this manual

I. MODELS

The Aladdin Enclosed Tray Delivery Cabinets are designed to be used when finished meals are to be transported and retrieved to and from satellite locations in a protected and enclosed environment.

ALADDIN ENCLOSED TRAY DELIVERY CABINETS & OPTIONAL DRIP PAN

SPECIFICATIONS

SALES CODE	ET20	ET24	ET20TH	JEDP
HEIGHT	57.5" 146cm	66.25" 168.3cm	57.5" 146cm	1.38" 3.51cm
WIDTH	26.75" 67.95cm	26.75" 67.95cm	26.75" 67.95cm	21.94" 55.73cm
DEPTH	29.75" 75.57cm	29.75" 75.57cm	28.75" 73.03cm	26.19" 66.52cm
TRAY CAPACITY INCLUDES BOTTOM SHELF	20	24	20	Reduces overall capacity of carts by 2 trays
TRAY CAPACITY WITH OPTIONAL DRIP PAN	18	22	18	
WEIGHT	105	116	110	
SHIPPING WEIGHT	125	136	130	

II. RECEIVING INSPECTIONS

NOTE:

All Aladdin® units are factory tested for performance and certified free from defects.

ALADDIN DAMAGED GOODS POLICY

There are two types of damaged merchandise: A. VISIBLE DAMAGE B. CONCEALED DAMAGE

A. VISIBLE DAMAGE- (The product being received is visibly damaged).

1. The receiver should refuse the damaged merchandise.
2. Receiver should sign packing slip "refused merchandise due to damage" when receiving partial shipment.
3. Contact Aladdin Customer Service Representative and alert to the situation.

B. CONCEALED DAMAGE-(Damaged merchandise cannot be externally detected). Any receiving operation should inspect for this type of damage.

IF PRODUCT IS DAMAGED:

1. Save all packing material.
2. Contact Aladdin Customer Service Representative and alert to the situation.
3. Receiver must call the carrier to schedule an inspection of the damaged merchandise before Aladdin can file a claim with the carrier.

ENCLOSED TRAY DELIVERY CABINETS

III. INSTALLATION

Your Aladdin Enclosed Tray Delivery Cabinet is ready for immediate use after sanitizing the interior and exterior of the cart with a sanitizing solution. (See Cleaning Section IV below).

IV. CLEANING

HOW TO CLEAN THE ENCLOSED TRAY DELIVERY CABINETS

1. WHEN TO CLEAN

It is recommended that all equipment be cleaned on a regular basis. Any piece of equipment that is soiled should be cleaned daily to ensure the long life of the equipment. Routine cleaning will lessen aluminum corrosion.

2. HOW TO CLEAN

To remove most soil, use a nonabrasive, non-chlorinated soap solution. Rinse thoroughly with warm water and wipe dry using an absorbent cloth. **TO REMOVE HEAVY SOIL, RUB THE AREA WITH A NON-METALLIC, FINE GRAIN SCOURING CLOTH.** Be sure to rub in the same direction as the metal grain. Rinse thoroughly with warm water and wipe using a soft absorbent cloth.

3. CLEANING SAFEGUARDS

Always rub with the metal grain. **NEVER USE STEEL WOOL OR METALLIC SCOURING CLOTHS.** This will help prevent scratching and possible damage to the surface finish. Use recommended dilution. Do not exceed concentration levels which may cause long term deterioration of surface. Be certain to rinse thoroughly to prevent build-up of cleanser.

NEVER USE CHLORINE OR BLEACH SOLUTIONS. Check the ingredients of cleaning solutions or disinfectants used as they may contain chlorinated solvents. Always read the labels on cleaning solutions check for warnings about use on aluminum products.

NOTE: If aluminum products are shipped in a corrugated container which is received in a wet condition, the product should be immediately unpacked and cleaned. Prolonged storage in a wet corrugated container may cause corrosion due to a reaction with chemicals in the container.

4. STERILIZING ALUMINUM

When sterilizing aluminum equipment, pay particular attention to agents containing chlorine compounds such as potassium hypochlorite. These compounds may break down and release free chlorine, or hydrolyze to form hydrochloric acid. Severe localized pitting may occur with long exposure. For safe use of the agents, keep contact time short, flush thoroughly with water, and operate equipment normally between applications. Using these precautions, the sterilization process can be repeated any number of times.

V. CABINET TOWING SAFETY

Aladdin's ET20TH tow hitch Cabinet has been designed with the safety of the operators in mind. Please read and review the warnings and cautions below with all operators prior to use.



WARNING

MISUSE CAN RESULT IN SERIOUS INJURY

- Thoroughly inspect entire Tow Hitch Assembly before each use.
DO NOT USE IF DAMAGED.
- DO NOT Stand on tow hitch or cabinet at any time.
- DO NOT make a turn on an inclined surface.
- DO NOT tow carts when children are present.
- DO NOT back up tow vehicle with cabinets attached.
- SPRING-LOADED Tow Bar automatically returns to upright position after being disengaged. KEEP CLEAR OF THIS AREA




CAUTION

- MAXIMUM number of cabinets towed using a tow vehicle cannot exceed 4 (four)
- MAXIMUM number of cabinets towed when towed by hand cannot exceed 2 (two)
- MAXIMUM acceptable weight per cabinet is 200 pounds or 20 pounds per tray support.
- MAXIMUM incline - 10 degrees. (17% grade)
- MINIMUM turning radius - 5 feet.
- MAXIMUM Towing Speed -
Straight level Surface - 4 M.P.H.
Turns, Inclines or any other surface/conditions - 2 M.P.H.
- CLOSE and LATCH Cabinet Door before towing.
- ENGAGE Brakes when loading or unloading cabinets.
- ENGAGE Brakes if cabinet is left unattended and disengaged from towing vehicle.
- DISENGAGE Brakes before towing cabinet.
- LOAD Cabinet from bottom to top.
- UNLOAD Cabinet from top to bottom.



ENCLOSED TRAY DELIVERY CABINETS

VI. PARTS LIST/DRAWINGS


DRAWINGS AND PARTS LIST FOR ET20TH





No.	P/N	Description
1	92535	Caster 6" balloon swivel w/ brake
2	92536	Caster 6" balloon rigid
3	92537	Door Hinge
4	93101	Tow bar assembly
5	92545	Receiver assembly
6	92542	Full perimeter bumper
7	92546	Round tow hitch bumper
8	97906	Latch fastener



DRAWINGS AND PARTS LIST FOR ET20 & ET24



No.	P/N	Description
1	92535	Caster 6" balloon swivel w/ brake
2	92536	Caster 6" balloon rigid
3	92537	Door Hinge
4	34792	Black vertical handle, smooth
5	34992	Bolt covers handle
6	92542	Full perimeter bumper
7	97906	Latch fastener



ENCLOSED TRAY DELIVERY CABINETS

VII. SERVICE

In the event service is required on your Aladdin Enclosed Delivery Cabinets please call:
ALADDIN TEMP-RITE, SERVICE DEPARTMENT, 1-800-888-5426

VIII. WARRANTY

ALADDIN TEMP-RITE
EQUIPMENT
LIMITED WARRANTY

Effective June 1, 1999

The warranty term commences 30 days after Aladdin's invoice for the equipment

Aladdin Temp-Rite ("ATR") warrants to the original purchaser that the equipment listed below shall be free from defects in material and workmanship under normal use for the applicable warranty term set forth below. ATR's obligation under this warranty is limited to the repair or replacement, at the sole option of ATR, of any part which upon inspection and examination by ATR or its authorized agent is found to be defective. A written description detailing the nature of the claimed defect, together with the equipment claimed to be defective if required by ATR, must be delivered to ATR or its authorized agent within 30 days of discovery of the claimed defect (but in no event later than 30 days after the expiration of the applicable warranty term).

EQUIPMENT	WARRANTY TERM*	
	PARTS	LABOR
ET20, ET20TH & ET24	1 Year	90 Days

*The warranty term commences 30 days after ATR's invoice for the equipment.

THE WARRANTIES AND REPRESENTATIONS OF ATR CONTAINED HEREIN ARE EXPRESSLY IN LIEU OF, AND THE BUYER WAIVES, ANY AND ALL OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY OTHER REMEDIES AGAINST ATR, WHETHER BASED UPON CONTRACT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE. ATR SHALL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES OR ECONOMIC LOSS OF ANY NATURE (INCLUDING WITHOUT LIMITATION LOSS OF REVENUES AND/OR PROFITS) THAT MAY BE CLAIMED TO RESULT FROM ANY NEGLIGENCE OR BREACH OF WARRANTY OR CONTRACT BY ATR.

Exceptions and Exclusions

This warranty is issued only to the original purchaser, and is not transferable and applies only to the products installed within the United States of America, its territories and Canada. During the term of any labor warranty, ATR will pay all pre-approved shipping charges incurred in returning defective equipment to ATR and labor costs incurred in the removal and reinstallation of such equipment. Contact ATR before returning any claimed defective equipment or otherwise performing warranty repairs. ATR assumes no liability for any work or repair performed without its prior approval. After the expiration of any labor warranty, the original purchaser is responsible for all shipping charges incurred in returning defective equipment to ATR and labor for removing and reinstalling such equipment. ATR shall not be responsible for the replacement of expendable items like lamps and fuses or product failure resulting from normal wear and tear, improper installation, misuse, sabotage, abuse, neglect, accident, unauthorized alterations or repair, or other factors beyond the control of ATR. Neither this warranty nor the liability of ATR may be modified or extended by action of any agent, distributor or other person or by custom or practice.

CALL ALADDIN TOLL FREE AT 1-800-888-5426 IF YOU HAVE ANY QUESTIONS ABOUT THIS
WARRANTY OR YOUR ATR PRODUCT.