



VOLTAGE FROM L1 TO NEUTRAL
MUST BE BETWEEN 220-240 VOLTS



- 1- SOLENOID VALVE #SV0001
- 2- MICRO SWITCH #S0054
- 3- HI-LIMIT #T0024
- 4- TRANSFORMER 240V/24V #TF0030
- 5- SPARK MODULE- HONEYWELL #C0711
- 6- GAS CONTROL #C0712(N) #C0713(LP)
- 7- FUSE #F0097
- 8- FAN #FN0014
- 9- 3-WAY SWITCH #S0104
- 10- MOTOR- M0047
- 11- TRANSFORMER #W0054
- 12- RELAY K-1 #R0044


- 13- RELAY K-2 #R0044
- 14- CONTROL DISCONNECT
- 15- CONTROL DISCONNECT
- 16- THERMOCOUPLE DISCONNECT
- 17- PILOT #C0714(N) USE W/00011 FOR LP
- 18- PROBE #T0047
- 19- COOKING COMPUTER #CP0027
- 20- SB3487 TERMINAL BLOCK

* PART OF ITEM 11



RED
BLUE
BROWN
ORANGE
PURPLE
YELLOW/GREEN
BROWN (SENSOR TO COMPUTER DISCONNECT)


VOLTAGE FROM L1 TO L2
MUST BE BETWEEN 220-240 VOLTS




- 1- SOLENOID VALVE #SV0001
- 2- MICRO SWITCH #S0054
- 3- HI-LIMIT #T0024
- 4- TRANSFORMER 240V/24V #TF0030
- 5- SB3487 TERMINAL BLOCK
- 6- GAS CONTROL #C0726(N) #C0727(LP)
- 7- FUSE #F0097
- 8- FAN #F0014
- 9- 3-WAY SWITCH #S0104
- 10- MOTOR #M0047
- 11- TRANSFORMER #W0054
- 12- RELAY K-1 #R0044

- 13- RELAY K-2 #R0044
- 14- CONTROL DISCONNECT
- 15- CONTROL DISCONNECT
- 16- THERMOCOUPLE DISCONNECT
- 17- PILOT #C0724(N) USE W/00011 FOR LP
- 18- PROBE #T0047
- 19- COOKING COMPUTER #CP0027

* PART OF ITEM 11




VOLTAGE FROM L1 TO I2
MUST BE BETWEEN 220-240 VOLTS



- 1- SOLENOID VALVE #SV0001 (Coil 240V-#C0601)
- 2- MICRO SWITCH #S0054
- 3- HI-LIMIT #T0024
- 4- TRANSFORMER 240V/24V #TF0030 (Gas Valve)
- 5- N/A
- 6- GAS CONTROL #C0726(N) #C0727(LP)
- 7- FUSE #F0097
- 8- FAN #FN0014
- 9- 3-WAY SWITCH #S0104
- 10- MOTOR- M0047
- 11- TRANSFORMER 240V/24V #W0054 (Timer)
- 12- RELAY K-1 #R0044

- 13- RELAY K-2 #R0044
- 14- CONTROL DISCONNECT
- 15- CONTROL DISCONNECT
- 16- THERMOCOUPLE DISCONNECT
- 17- PILOT #C0724(N) USE W/00011 FOR LP
- 18- PROBE #T0047
- 19- COOKING COMPUTER (Timer) #CP0027



VOLTAGE FROM L1 TO NEUTRAL
MUST BE BETWEEN 220-240 VOLTS

- | | |
|-----|---------------------------------------|
| --- | WHITE |
| --- | BLACK |
| --- | YELLOW/GREEN |
| --- | BLUE |
| --- | BROWN |
| --- | YELLOW |
| --- | ORANGE |
| --- | PURPLE |
| --- | BROWN (SENSOR TO COMPUTER DISCONNECT) |

ARGENTINA

Elevation:


Orifice: (Nat.)#31 P/N-LGFA053

Orifice: (LP)#48 P/N-LGFA052

HOT SURFACE IGNITION



----- GREEN
 ----- BLACK L1
 ----- BLUE
 ----- ORANGE
 ----- PURPLE
 ----- BROWN
 ----- WHITE
 ----- YELLOW
 ----- GRAY
 ----- RED



- 1- SOLENOID VALVE #SV0004
- 2- MICRO SWITCH #S0054
- 3- HI-LIMIT #T0024
- 4- TRANSFORMER 120V/24V #TF0005
- 5- GAS CONTROL #C0726 (LP-#C0727)
- 6- FUSE #F0097
- 7- FAN #F0013
- 8- SWITCH #S0104
- 9- MOTOR #M0047
- 10- TRANSFORMER #W0053
- 11- RELAY K-1 #R0044

- 12- RELAY K-2 #R0044
 - 13- CONTROL DISCONNECT
 - 14- CONTROL DISCONNECT
 - 15- THERMOCOUPLE DISCONNECT
 - 16- PILOT #C0724
 - 17- PROBE #T0047
 - 18- COOKING COMPUTER #CP0027
- * PART OF ITEM 10

