



## **MARK V & MARK V-100 ELECTRIC CONVECTION OVENS REPLACEMENT PARTS LIST**



**EFFECTIVE OCTOBER 9, 2018**

Superseding All Previous Parts Lists.

The Company reserves the right to make substitution in the event that items specified are not available.

ERRORS: Descriptive and/or typographic errors are subject to correction.

---

### **BLODGETT OVEN COMPANY**

42 Allen Martin Drive, Essex Junction, Vermont 05452 USA Telephone: (802) 658-6600 Fax: (802) 860-3732  
[www.blodgett.com](http://www.blodgett.com)

*P/N 53513 Rev U*

## **SERIAL NUMBER LOCATION / KEY:**

***IMPORTANT: When ordering parts, please provide the model, voltage, phase and serial number of the oven. The identification plate is located above the right hand door under the ledge.***

## **SERIAL NUMBER IDENTIFICATION CODE:**

**PA = MARK V  
CT = MARK V-100**

### **SERIAL NUMBER EXAMPLES**

**010114CT001T (NEW STYLE)**

**01/01/14 = DATE**

**CT = LETTER CODE FOR MARK V-100**

**001 = FACTORY SEQUENCE**

**T = TOP OVEN**

**IMPORTANT: When ordering parts, please provide the model, gas type and serial number of the oven. The identification plate is located on the left side of the combustion compartment and, also, above the control panel under the ledge.**

✓  
◆  
\*

**ASAP Distributor Required Stocking Parts  
Doors Are Not Returnable  
Item Is Too Large For UPS**

## ELECTRICAL COMPONENTS




















| Ref. No. | Part No. | Description                                                                      |
|----------|----------|----------------------------------------------------------------------------------|
| 1        | 20350    | Buzzer, 240V                                                                     |
| 2        | 18868    | Selector Switch w/o Knob, Mode (3 Positions)                                     |
| 3        | 16686    | Knob, Mode Selector Switch                                                       |
| 4        | 6496     | Blower Switch, Rocker, SPST, Blue, 1 SP (Before 1/8/85)                          |
|          | 17857    | Blower Switch, Rocker, SPDT, Black, 2 SP (Between 1/8/85 and 3/01/94)            |
|          | 30518    | Blower Switch, Rocker, SPDT, Matt Black, 2 SP (After 3/01/94 ) (Before 11/14/07) |
| 4        | 6497     | Light Switch, Rocker, SPST, White (Before 3/01/94)                               |
| 4        | M5132    | Light Switch, Rocker, SPST, Matt Black (Before 11/24/01)                         |
|          | 6498     | Cool Down Switch, Rocker, SPDT, Red (Before 1/8/85)                              |
|          | 30662    | Momentary Push Button, Round                                                     |
| 5        | 16037    | Indicator Light, 250V, Red, (Before 11/14/07)                                    |
| 5        | 18265    | Indicator Light, 28V, Red (After 11/14/07)                                       |
| 6        | 16605    | Fuse, 600V, 10 Amp (Before 6/88 & After 02/15/97)                                |
| 7        | 16604    | Fuse Holder (Before 6/88) Intelli II                                             |
| 6        | 20162    | Fuse, 300V, 10 Amp. (Between 6/88 & 02/15/97)                                    |
| 7        | 20163    | Fuse Holder (Between 6/88 & 02/15/97)                                            |
| 7        | 20442    | Fuse Holder, 30AMP, Class CC (After 02/15/97)                                    |
| 8        | 32244    | Motor, 208-240V, 1 SP                                                            |
| 8        | 32244    | Motor, 208-240V, 2 SP                                                            |
|          | 34470    | Harness, Motor, Centrifugal Switch 2 SP After 11/01/99 and Before 11/14/07       |
|          | 34690    | Harness, Motor, 1 or 2 Speed, After 11/14/07                                     |
| 9        | 5001     | Wheel Assy., Blower                                                              |
|          | 19667    | Mount & Panel Assy., Motor                                                       |
| 10       | 35702    | Microswitch & Bracket Assy., Door Replaces 19978, Units after 06/84              |
|          | 35419    | Bracket, Microswitch Units after 06/84                                           |
| 10       | 35918    | Microswitch Assy., Door Replaces 19978 Units before 06/84                        |
|          | 6195     | Bracket, Microswitch Units before 06/84                                          |
|          | 90047    | Socket, Quick Disconnect, Before 11/14/07                                        |
|          | 20662    | Plug, Quick Disconnect, Before 11/14/07                                          |
|          | 4888     | Lug, Grounding                                                                   |
| 11       | 33245    | Element Assy., 208V                                                              |
| 11       | 20320    | Element Assy., 220V                                                              |
| 11       | 33244    | Element Assy., 240V                                                              |

## ELECTRICAL COMPONENTS

| Ref. No.     | Part No. | Description                                                                                                              |
|--------------|----------|--------------------------------------------------------------------------------------------------------------------------|
| 11           | 20322    | Element Assy., 440V                                                                                                      |
| 11           | 20319    | Element Assy., 480V                                                                                                      |
|              | 20604    | Cover for terminal, ends on back                                                                                         |
|              | 20605    | Harness, Element 208V-480V                                                                                               |
|              | 36429    | Circuit Breaker, After 11/14/07                                                                                          |
|              | 36755    | Switch, Thermal Axial Fan                                                                                                |
| 23           | 56760    | Manual Reset Compartment Switch                                                                                          |
| 4            | 30517    | Light Switch, Rocker DPST, Black, After 4/24/01                                                                          |
| 4            | 20530    | Blower Switch, Rocker 3PDT, Black, After 11/14/07                                                                        |
|              | 36700    | Transformer, 240 to 24V, After 11/14/07                                                                                  |
|              | 17754    | Transformer, High Volt, 480V to 240V                                                                                     |
|              | 17252    | Bracket, Transformer                                                                                                     |
|              | 19453    | Voltage Conversion Kit, 208V-480V                                                                                        |
| 12           | 17556    | Terminal Block, 90 Amp., 3 Pole                                                                                          |
|              | 5184     | Wire Assy (between terminal block and contactor)                                                                         |
| 13           | 21430    | Axial Fan, 230V All Units before 09/01/99                                                                                |
| <b>NOTE:</b> |          | <b>For units before 09/01/99 there is only (1) fan. After 09/01/99 and before 11/14/07, there are (2) of these fans.</b> |
|              | 23034    | Fan, Axial, 4", After 11/14/07                                                                                           |
| 18           | 38559    | Mechanical Contactor Conversion Kit, 3 Phase                                                                             |
|              | R11087   | Mechanical Contactor, 3 Pole, 40 AMP, 240V                                                                               |
|              | 39443    | Mechanical Contactor, 65 AMP Conversion Kit, 1 Phase                                                                     |
|              | 53235    | Mechanical Contactor, 65 AMP, 3 Pole w/aux contact                                                                       |
|              | 58325    | Aux. Contact Block, 1 Phase, Contactor (CC series contactor)                                                             |

## MECHANICAL CONTROLS STANDARD ON OVENS MANUFACTURED BEFORE 9/1/86

| Ref. No. | Part No. | Description                                       |
|----------|----------|---------------------------------------------------|
|          | 15956    | Timer, 60 Minute w/o Knob (Cook Only)             |
|          | 16030    | Knob, Timer                                       |
|          | 16536    | Thermostat, Cook KX-234-36 w/o Knob (140° - 500°) |
| 3        | 16686    | Knob, Thermostat                                  |
|          | 90588    | Contactor, 50 Amp. Mechanical                     |



# SOLID STATE MANUAL CONTROLS

## STANDARD ON OVENS MANUFACTURED AFTER 7/86

| <u>Ref. No.</u> | <u>Part No.</u> | <u>Description</u>                                                 |
|-----------------|-----------------|--------------------------------------------------------------------|
|                 | 18578           | Control Board (Before 11/14/07)                                    |
|                 | 33152           | Temperature Control (After 11/14/07 and before 9/10/13)            |
|                 | 57372           | Temperature Control (After 9/9/13)                                 |
| 15              | 18588           | Probe, Temperature, 100K Thermistor (Before 9/10/13)               |
|                 | 57562           | Probe, (After 9/10/13)                                             |
| 16              | 18234           | Potentiometer, Remote (Infinite Control) (Before 11/14/07)         |
|                 | 100222          | 8 Position Temperature Switch                                      |
|                 | 100223          | 8 Position Temperature Switch, Cracker Barrel                      |
| 3               | 16686           | Knob, 8 Position Temperature Switch                                |
| 17              | 18226           | Timer, 60 Minute 240V                                              |
|                 | 19428           | Timer, 6 Hour, 240V                                                |
| 3               | 16686           | Knob, 60 Minute Timer                                              |
|                 | 19518           | Dial, 6 Hour Timer                                                 |
|                 | 18352           | Harness, Wiring (8 Set Point or Infinite, (1 SP) (Before 11/14/07) |
|                 | 18351           | Harness, Wiring (8 Set Point or Infinite, (2 SP) (Before 11/14/07) |
|                 | 18283           | Control Panel, Infinite, 1 SP (Before 11/14/07)                    |
|                 | 18446           | Module Assy, Complete, 1 SPD, (Before 11-14-07)                    |
|                 | 18281           | Control Panel, Infinite, 2 SP (Before 11/14/07)                    |
|                 | 18448           | Module Assy, Complete, 2 SPD, (Before 11-14-07)                    |
|                 | 57378           | Panel & Decal, 2 SP, (After 11/14/07 and before 9/10/13)           |
|                 | 57379           | Panel & Decal, 1 SP, (After 11/14/07 and before 9/10/13)           |
|                 | 57381           | Panel & Decal, 2 SP, (After 9/9/13)                                |
|                 | 57382           | Panel & Decal, 1 SP, (After 9/9/13)                                |
|                 | 57376           | Module Assy., 2 SP, 60 Hz                                          |
|                 | 50557           | Harness, Front, (After 11/14/07)                                   |

## FAN DELAY WITH PULSE PLUS

| <u>Ref. No.</u> | <u>Part No.</u> | <u>Description</u>                           |
|-----------------|-----------------|----------------------------------------------|
|                 | 18291           | Timer, Fan Delay, 10 Minute, 240V            |
|                 | 18293           | Timer, Fan On, 30 Minute, 240V               |
|                 | 18583           | Timer, Solid State, Pulsing, 30 Second, 240V |
|                 | 16539           | Indicator Light, 250V, Amber, Round          |
|                 | 18582           | Relay, 3PDT, 240V w/ Bracket                 |
|                 | 18355           | Harness, control wiring                      |
|                 |                 | 8 Set Point or Infinite, 2 SP                |
|                 | 18277           | Control Panel & Decal, Porcelain, 8 Set Pt.  |
|                 | 16686           | Knob                                         |

# SOLID STATE DIGITAL CONTROLS

## 5 KEY


| <u>Ref. No.</u> | <u>Part No.</u> | <u>Description</u>                                                  |
|-----------------|-----------------|---------------------------------------------------------------------|
| 19              | 30658           | Controller, Solid State Digital Thermistor (Before 10/13/15)        |
|                 | 58718           | Controller, Solid State Digital RTD (After 10/12/15)                |
| 15              | 18588           | Probe, Temperature, 100K Thermistor (Before 10/13/15)               |
|                 | 57562           | Probe, Temperature, 100K RTD (After 10/12/15)                       |
|                 | 24684           | Knob, Mode (For 30658)                                              |
|                 | 24685           | Knob, Adjust                                                        |
| 2               | 18868           | Selector Switch w/ Knob, Mode (3 Positions) 1 SP                    |
|                 | 21068           | Selector Switch w/ Knob, Mode (4 Positions) 2 SP, (Before 11/14/07) |
| 3               | 16686           | Knob, Mode Selector Switch                                          |
|                 | 30662           | Light Switch, Momentary, Round                                      |
|                 | 23086           | Suppressor Assy., RC                                                |
|                 | 24924           | Harness, Wiring (1 SP)                                              |
|                 | 24920           | Harness, Wiring (2 SP), (Before 11/14/07)                           |
|                 | 30666           | Control Panel & Decal, 1 SP (Decals for fuseholders)                |
|                 | 30667           | Control Panel & Decal, 2 SP (Decals for fuseholders)                |
|                 | 56729           | Control Panel & Decal Assy (After 11/14/07 and Before 10/13/15)     |
|                 | 50557           | Harness, Front, (After 11/14/07)                                    |
|                 | 58719           | Control Panel & Decal (After 10/12/15)                              |

## COOK & HOLD CONTROLS

| <u>Ref. No.</u> | <u>Part No.</u> | <u>Description</u>                                            |
|-----------------|-----------------|---------------------------------------------------------------|
|                 | 17984           | Timer, 12 Hour w/ Knob                                        |
|                 | 17863           | Timer, 12 Hour w/o Knob                                       |
| 3               | 16686           | Knob, Timer                                                   |
|                 | 15365           | Thermostat, Hold K-877-36 w/o Knob (120° - 200°)              |
|                 | 16392           | Knob, Thermostat                                              |
|                 | 20351           | Controller, Temperature Hold (150° - 250°)                    |
| 3               | 16686           | Knob, Temperature Hold Controller                             |
| 15              | 18588           | Probe, Temperature                                            |
|                 | 18234           | Potentiometer                                                 |
| 2               | 18868           | Selector Switch w/o Knob, Mode (3 Positions) (Before 1/18/85) |
|                 | 20347           | Selector Switch w/o Knob, Mode (4 Positions) (After 1/18/85)  |
| 3               | 16686           | Knob, Mode Selector Switch                                    |
|                 | 16539           | Indicator Light, 250V, Amber, Round                           |
|                 |                 | Hold Only                                                     |
|                 | 11259           | Relay, Motor, 25 Amp., DPDT, 240V                             |



# EXCLUSIVE TO KFC FAST CONTROLS

## STANDARD ON OVENS MANUFACTURED AFTER 11/08/96



| Ref. No. | Part No. | Description                                          | Ref. No. | Part No. | Description                             |
|----------|----------|------------------------------------------------------|----------|----------|-----------------------------------------|
| 24       | 34968    | Control, "IQ" w/SCK for U.S.                         | 7        | 20163    | Fuse Holder (Between 6/88 & 02/15/97)   |
| 34       | 33902    | Relay, 4PDT, 3 AMP, 250V                             | 7        | 20442    | Fuse Holder, 30AMP, (After 02/15/97)    |
|          | 33922    | Socket, Relay                                        | 7        | 16604    | Fuse Holder (Before 6/88) Intelli II    |
|          | 33073    | Relay Board                                          | 6        | 16605    | Fuse, 600V,10 Amp                       |
| 35       | 33074    | Probe, Right Angle                                   |          |          | (Before 6/88 & After 02/15/97)          |
|          | 52948    | Transformer 208/240-24V                              | 6        | 20162    | Fuse, 300V, 10 Amp.                     |
|          | 33075    | Control Harness 208/240V                             |          |          | (Between 6/88 & 02/15/97)               |
|          | 33072    | Control Harness 24V                                  |          | 33155    | Front Comm. Port                        |
|          | 33296    | Harness Adaptor                                      |          | 33156    | Rear Comm. Port                         |
| 11       | 33244    | Element Assy. 240V                                   | 29       | 33105    | Control Cover                           |
| 11       | 33245    | Element Assy. 208V                                   | 25       | 32999    | Control Retainer                        |
|          | 39443    | Mechanical Contactor, 65 AMP Conversion Kit, 1 phase | 26       | 33169    | Gasket, Rubber                          |
| 18       | 37295    | Contactor 3 Pole,30 AMP,208/240V, 3PH                | 28       | 33151    | Gasket, Control Back                    |
|          | 33904    | MOV Assy                                             | 36       | 33253    | Flue Guard                              |
| 6        | 19619    | Switch, Rocker DPST, Black(Power Switch)             | 30       | 33108    | Shelf Assy w/Channels                   |
| 38       | 50274    | Diverter, Grease LH                                  | 31       | 33117    | Channel Assy, Support (used with Shelf) |
| 39       | 50275    | Diverter, Grease RH                                  | 37       | 33083    | Four Position Rack Guide                |
| 40       | 33139    | Drip Shield                                          |          | 33150    | Baffle Bracket                          |
|          | 32519    | Stainless Steel Oven Cap                             |          | 33090    | Baffle, Interior                        |
| 41       | 33067    | Decal, Fuse & Switch                                 |          | 33528    | Caster Kit, adjustable (Set of 4)       |
| 27       | 34041    | U.S. Product Strip, (Before 4/17/07)                 |          | 33193    | Legs, 25" S/S                           |
|          | 100046   | U.S. Product Strip, (After 4/17/07)                  |          | 34028    | Stacking Kit, CTB on Mark V             |
|          | 37635    | Shelf Assy w/Legs                                    |          |          | (Exclusive to KFC)                      |
|          |          |                                                      |          | 34126    | Start-Up & Nightly Cleaning Sticker     |

EXCLUSIVE TO KFC FAST CONTROLS



## INTELLITOUCH CONTROLS 17 KEY

| Ref. No. | Part No. | Description                                 |
|----------|----------|---------------------------------------------|
|          | 20360    | Probe, Temperature Integrated               |
|          | 20112    | Filter, RFI (Used w/ Integrated Controller) |
|          | 20356    | Transformer, 115/230V to 24V                |
|          | 18582    | Relay w/ Bracket, 3PDT, 240V (For 2 SP)     |

## INTELLIPLUS OR INTELLIHOLD CONTROLS

### 12 KEY & 13 KEY

(REQUIRES 2 SPEED MOTOR,  
CAPACITOR & BLOWER SWITCH)

| Ref. No. | Part No. | Description                        |
|----------|----------|------------------------------------|
|          | 23392    | Probe, Temperature RTD             |
|          | 24181    | Knob, Control (2 Per Oven)         |
|          | 19620    | Blower Switch, Rocker, DPST, Black |
|          | 23086    | Suppressor Assy., RC               |
|          | 36742    | IQ2 Retrofit Kit Control           |

## COMPUTER READY OVENS

| Ref. No. | Part No. | Description                                                                  |
|----------|----------|------------------------------------------------------------------------------|
|          | 16645    | Probe, Temperature (2 Wires, 12" Long)<br>for 8 Set Point or Infinite Boards |
|          | 17925    | Extension, Cable (For Single Oven)                                           |

## INTELLITOUCH II

### 33 KEY

| Ref. No. | Part No. | Description                  |
|----------|----------|------------------------------|
| 21       | 24434    | Controller, Intellitouch II  |
| 22       | 32289    | Probe, Temperature RTD       |
|          | 5279     | Thermostat, Back-Up KX-38-36 |
|          | 19619    | Switch, Rocker, DPDT, Black  |
|          | 19620    | Switch, Rocker, Momentary    |
|          | 21675    | Relay, SPDT, 240V            |
|          | 23086    | Suppressor Assy., RC         |
|          | 20442    | Fuseholder                   |
|          | 16605    | Fuse                         |

## HUMIDAIRE CONTROLS

| Ref. No. | Part No. | Description                              |
|----------|----------|------------------------------------------|
|          | 18581    | Timer, Adjustable, 240V                  |
|          | 18439    | Potentiometer, Steam Duration            |
|          | 18580    | Switch, Momentary                        |
|          | 18314    | Switch, Thermal                          |
|          | 18267    | Indicator Light, 250V, Blue, Round       |
|          | 18301    | Solenoid Valve, Water, 240V              |
|          | 18409    | Pressure Regulator, Water                |
|          | 18310    | Nozzle Assy., Spray                      |
|          | 18366    | Harness, Wiring ("Humidaire") (See Note) |


**NOTE:** Ovens with "Humidaire" feature require two harnesses, one for the module (18351) & one for the "Humidaire" controls (18366).

18282 Control Panel & Decal, Infinite, 2 SP

## IQ2 CONTROLS

| Ref. No. | Part No. | Description                                 |
|----------|----------|---------------------------------------------|
|          | 37035    | IQ2 Controller                              |
|          | 36403    | Decal Only, IQ2 Control, (Before 7-20-2007) |
|          | 50829    | Decal Only, IQ2 Control (After 7-20--2007)  |
|          | 33074    | Probe, Temperature                          |
|          | 19619    | Switch, Rocker                              |
|          | 52948    | Transformer                                 |
|          | 33902    | Relay, 4PDT                                 |
|          | 33073    | Relay, Boardx                               |


# SOLID STATE INFINITE CONTROLS WITH DIGITAL TIMER



| Ref. No. | Part No. | Description                                     |
|----------|----------|-------------------------------------------------|
| 1        | 36616    | Knob w/Arrow                                    |
| 2        | 6497     | Light Switch, SPST, White                       |
| 3        | 18265    | Indicator Light, 28V                            |
| 4        | 36617    | Knob, w/o Arrow                                 |
| 5        | 36429    | Circuit Breaker                                 |
| 6        | 18588    | Probe, 100K Ohm, 1/4" terminals, before 9/25/13 |
|          | 57562    | Probe, 1K Ohm, 3/16" terminals, after 9/24/13   |
|          | 57563    | Module Assy. w/probe                            |
|          | 57566    | Panel & Decal, infinite w/digital timer         |

| Ref. No. | Part No. | Description                                        |
|----------|----------|----------------------------------------------------|
| 7        | 56282    | Temperature Control w/Digital Timer before 9/25/13 |
| 7        | 57561    | Temperature Control w/Digital Timer after 9/25/13  |
| 8        | 20530    | Blower Switch, 3PDT, Black after 9/24/13           |
| 9        | 18868    | Mode Switch w/o Knob, 3 Positions                  |
| 10       | 36755    | Thermal Switch                                     |
| 11       | 36700    | Transformer, 120/240 to 24V                        |
| 12       | 52668    | Beeper                                             |

# SMARTOUCH CONTROLS



| Ref. No. | Part No. | Description                        |
|----------|----------|------------------------------------|
| 1        | 55949    | Control, Programmed before 11/8/13 |
|          | 57737    | Control, Programmed after 11/8/13  |
| 2        | 52161    | USB Cover                          |
| 3        | 39781    | Meat Probe Jack                    |
|          | 39782    | Meat Probe Jack Plug               |
|          | 56545    | Meat Probe, 4", Dual Sensor        |
|          | 56546    | Meat Probe, 6", Dual Sensor        |
| 4        | 39688    | Circuit Breaker 20A                |
| 5        | 55599    | Relay, DPST, 24VDC                 |
| 6        | 38604    | Relay, DPDT, 24VDC                 |
|          | 39343    | Jumper                             |

| Ref. No. | Part No. | Description                 |
|----------|----------|-----------------------------|
| 7        | 52647    | USB Cable                   |
| 8        | 59777    | Speaker Kit, w/Retainers    |
| 9        | 53206    | I/O Board, before 11/8/13   |
|          | 57727    | I/O Board, after 11/8/13    |
| 10       | 36755    | Thermal Switch              |
| 11       | 34473    | Probe, RTD, 1K              |
| 12       | 36700    | Transformer, 120/240 to 24V |
| 13       | 54604    | DC Power Supply, 24V, 15W   |
|          | 54330    | Communication Cable         |

## DOOR COMPONENTS

| Ref. No. | Part No. | Description                                                          |
|----------|----------|----------------------------------------------------------------------|
| ◆        | 20804    | Door Assy, Gls LH                                                    |
| ◆        | 20803    | Door Assy, Gls RH                                                    |
| ◆        | 20806    | Door Assy, Sld LH                                                    |
| ◆        | 20805    | Door Assy, Sld RH                                                    |
|          | 9036     | Window Assy, Drop In (10-1/8" x 17-1/8")                             |
|          | 17558    | Door Handle, powder coated<br>(After 6/1/84)                         |
|          | 18081    | Top Plate, Door Handle (After 6/1/84)                                |
|          | 17519    | Gasket Assy, Perimeter (Before 12/1/2005)                            |
|          | 36876    | Gasket Assy, Perimeter (After 12/01/2006)                            |
|          | 16448    | Pressure Lock (Attaches to front of door)                            |
|          | 36606    | Pressure Lock (Attaches to side of door)                             |
|          | 17311    | Center Trim, Door                                                    |
|          | 4887     | Chain & Turnbuckle Assy, (Before 6/1/84)                             |
|          | 20659    | Support Assy, Lower Door<br>(Between 6/1/84 and 10/10/00)            |
|          | 36037    | Support Assy, Lower Door w/Microswitch<br>(After 10/10/00)           |
| 10       | 35702    | Microswitch & Bracket Assy, Door<br>Units after 06/84 Replaces 19978 |
|          | 35419    | Bracket, for Microswitch Units after 06/84                           |
| 10       | 35918    | Microswitch Assy, Door<br>Units before 06/84 Replaces 19978          |
|          | 6195     | Bracket, for Microswitch<br>Units before 06/84                       |
|          | 19639    | Screen Assy., Baffle S/S                                             |
|          | 17752    | Compartment Liner Bottom, Porc.                                      |

## BAKING COMPARTMENT COMPONENTS

| Ref. No. | Part No. | Description                                                     |
|----------|----------|-----------------------------------------------------------------|
|          | 4701     | Rack, Wire (20-7/8" x 28-1/4") (Each)<br>(Before 9/15/86)       |
|          | 18768    | Rack, Wire (20-7/8" x 28-1/4") (Each)<br>(After 9/15/86)        |
|          | 8724     | Rack Support, (Set of 2) (Before 9/15/86)                       |
|          | 19081    | Rack Support, (Set of 2) (After 9/15/86)                        |
|          | 19171    | Stop, Rack (Set of 2)                                           |
|          | 15637    | Lamp, Interior, 220V (Before 9/24/84)                           |
|          | 4342     | Lamp, Interior, 115V (After 9/24/84 &<br>Before 11/14/2007)     |
|          | 4922     | Socket, Lamp                                                    |
|          | 20807    | Window, Interior Lights w/ Retainer<br>(Before 11/14/2007)      |
|          | 17978    | Retainer, Interior Window<br>(Before 11/14/2007)                |
|          | 8321     | Guard, Thermostat Bulb                                          |
| 9        | 5001     | Wheel Assy., Blower                                             |
|          | 16813    | Interior Baffle, Porcelain<br>(Blower Wheel Cover)              |
|          | 16814    | Interior Baffle, Stainless<br>(Blower Wheel Cover)              |
|          | 8648     | Screws, Baffle Mounting (Set of 4)                              |
|          | 90046    | Brackets, Baffle Supports (Set of 4)                            |
|          | 38659    | Crumb pan Set (LH & RH)                                         |
|          | 57058    | Halogen Lamp Assy, 20W, 12V<br>(After 11/14/2007)               |
|          | D0128    | Bulb, Halogen (After 11/14/2007) Type G4<br>.16" Between Pins   |
|          | 57075    | Bulb, Halogen (After 11/14/2007) Type G5.3<br>.21" Between Pins |
|          | 57075    | Bulb, Halogen (After 6/1/13)                                    |
|          | 33939    | Clip, Thermistor Probe                                          |
|          | 33088    | Clip, RTD Probe                                                 |

## ROLL-IN UNITS & COMPONENTS

| Ref. No. | Part No. | Description                             |
|----------|----------|-----------------------------------------|
|          | 7514     | Transport Cart, CTRE                    |
|          | 8542     | Transport Cart, CTRE-2                  |
|          | 20517    | Docking Assy, w/ Hardware               |
|          | 8355     | Docking Pins, Transport Cart (Set of 2) |
|          | 8356     | Casters, 5", Transport Cart (Set of 4)  |
|          | 9052     | Handle, Transport Cart (Single Unit)    |
|          | 8359     | Catch Mechanism, Transport Cart         |
|          | 8357     | Locking Bar, Transport Cart             |
|          | 8358     | Tracks & Shelf Assy, Transport Cart     |
|          | 9015     | Handle, Transport Cart                  |
|          | 10363    | Hook, Transport Cart                    |
|          | 18334    | Liner Track, Oven Interior (Set of 2)   |
|          | 24608    | Dolly Assy, DBRI-S                      |
|          | 11207    | Pan Rack w/ 5 Racks, RPR-S9             |
|          | 8677     | Rack, S9 Pan Rack (19" x 26") (Each)    |
|          | 19475    | Dolly Assy, Arlington Basket            |

## EXTERIOR COMPONENTS

| Ref. No.     | Part No.                                                                                                          | Description                                                  |
|--------------|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
|              | 23190                                                                                                             | Crown Assy.                                                  |
|              | 17766                                                                                                             | Vent Assy., Mark V on Mark V (29" high MV)                   |
|              | 17767                                                                                                             | Vent Assy., Mark V on EF (29" high MV)                       |
|              | 35698                                                                                                             | Mark V, 32" high on MV                                       |
|              | 17910                                                                                                             | Logo MARK V                                                  |
|              | 17824                                                                                                             | Trim, Bottom S/S (w/o security package), 3-1/4" high         |
|              | 17825                                                                                                             | Trim, bottom s/s (w/o security package) (6-1/2" high)        |
|              | 16470                                                                                                             | Nameplate, Blodgett 10"                                      |
|              | 21439                                                                                                             | Control Access Panel, S/S, 28" high                          |
|              | 36512                                                                                                             | Control access panel, 31-1/2" high                           |
|              | 17761                                                                                                             | Back Panel, Solid S/S for 28-7/8" high ovens (Before 2/4/99) |
|              | 34734                                                                                                             | Back Panel, Solid S/S for 28-7/8" high ovens (After 2/4/99)  |
|              | 36696                                                                                                             | Back Panel, Solid S/S for 32" high ovens                     |
|              | R6471                                                                                                             | Allen Wrench, Security (for Back Panel)                      |
|              | 34724                                                                                                             | Bodyside, RH S/S (before 11-01-2005)                         |
|              | 39241                                                                                                             | Bodyside, RH S/S (11-01-2005 and after)                      |
|              | 36407                                                                                                             | Bodyside, RH, s/s, 30-7/8" high                              |
|              | 34725                                                                                                             | Bodyside, LH S/S (before 11-01-2005)                         |
|              | 39240                                                                                                             | Bodyside, LH S/S (11-01-2005 and after)                      |
|              | 37205                                                                                                             | Bodyside, LH, s/s, 31-7/8" high                              |
|              | 54425                                                                                                             | Side Heat Shield, Right or Left                              |
| <b>NOTE:</b> | <b>The bodysides 34724 &amp; 34725 replace 16770 &amp; 16772.</b>                                                 |                                                              |
|              | 16947                                                                                                             | Bodytop, S/S (Before 2/4/99)                                 |
|              | 34541                                                                                                             | Bodytop, S/S (Before 11-01-2005)                             |
|              | 38991*                                                                                                            | Bodytop, S/S (After 11-01-2005)                              |
|              | 8600                                                                                                              | Legs, 6" w/ Bolts, S/S (Set of 4)                            |
|              | 8598                                                                                                              | Legs, 25" w/ Bolts, S/S (Set of 4)                           |
|              | 15489                                                                                                             | Foot, Leg S/S (Each)                                         |
|              | 92000                                                                                                             | Studs, Leg (Set of 4)                                        |
|              | 7847                                                                                                              | Bolts, Leg (Set of 8)                                        |
|              | 6486                                                                                                              | Open Stand w/ Feet, S/S                                      |
|              | 11416                                                                                                             | Open Stand w/ Casters, S/S                                   |
|              | 16002                                                                                                             | Caster Kit, Sgl Oven (Set of 4)                              |
|              | 5779                                                                                                              | Caster Kit w/ Plate, Dbl Oven (Set of 4)                     |
|              | 19528                                                                                                             | Caster Kit, Low Profile (Set of 4)                           |
|              | 31013                                                                                                             | Caster Kit, Heavy Duty Low Profile (Set of 4)                |
|              | 31803                                                                                                             | Clips, Dbl Stacking (Set of 2)                               |
|              | 33484                                                                                                             | Torx Bit, Security T30                                       |
|              | 30412                                                                                                             | Torx Bit, Security T25                                       |
|              | 59657*                                                                                                            | Front Trim Kit, Bodytop                                      |
| <b>NOTE*</b> | <b>For ovens built between 11/01/05 &amp; 03/10/17 Parts 38991 &amp; 59657 must be replace/purchased together</b> |                                                              |

## EXCLUSIVE TO KFC FAST CONTROLS-CE

| <u>Ref. No.</u> | <u>Part No.</u> | <u>Description</u>                                           |
|-----------------|-----------------|--------------------------------------------------------------|
|                 | M3167           | Fuseholder (Electrical) CE                                   |
|                 | M8593           | Fuse, Export, (Electrical) 10AMP (Qty 2) CE                  |
|                 | M8662           | Fuseblock, 5MMx20MM (For M6899) CE                           |
|                 | 35703           | Fuse, 250V 1AMP (For M6899) CE                               |
|                 | 36066           | Thermostat, High Limit Kit (Manual Reset) CE, Replaces M3295 |
|                 | 20320           | Element Assy. 230/400V, 10000W                               |
|                 | 33075           | Control Harness 208/240V                                     |
|                 | 35599           | Baffle and Guard Assy, Interior                              |

## EXCLUSIVE TO ARBY'S WITH MEAT PROBES

| <u>Ref. No.</u> | <u>Part No.</u> | <u>Description</u>                                                    |
|-----------------|-----------------|-----------------------------------------------------------------------|
|                 | 54743           | Control, Meat Probe                                                   |
|                 | 37134           | Meat Probe                                                            |
|                 | 30662           | Kit, Momentary Light                                                  |
|                 | 56738           | Relay Switch, SPST, 24 VDC (except CE)                                |
|                 | 36700           | Transformer, 115/230 to 24V (except CE)                               |
|                 | 36616           | Knob, Control (except CE)                                             |
|                 | 37058           | Relay, DPST, 25A, 24V (except CE)                                     |
|                 | 37132           | Manifold, Meat Probe                                                  |
|                 | 37135           | Probe, Temp                                                           |
|                 | 37133           | Harness, Meat Probe Manifold                                          |
|                 | 37509           | Manifold Assy., (Includes manifold, probe, harness, tube and grommet) |
|                 | 55677           | Transformer 230 to 24V (CE only)                                      |
|                 | 55676           | Relay DPST 30A (CE only)                                              |

## EXCLUSIVE TO EXPORT

| <u>Ref. No.</u> | <u>Part No.</u> | <u>Description</u>                                          |
|-----------------|-----------------|-------------------------------------------------------------|
|                 | 20084           | Timer, 60 Minute, 240V, 50 HZ                               |
|                 | 3574            | Terminal Block, 65 Amp., 600V                               |
|                 | 19620           | Switch, Rocker, DPST, Black                                 |
|                 | 30517           | Switch, Rocker, DPST, Matt Black                            |
|                 | 15637           | Lamp, Interior, 220V                                        |
|                 | 33095           | Terminal Block, 6 Pole CE                                   |
|                 | M8662           | Fuseholder, In-Line CE                                      |
|                 | 33298           | Fuse, 250V, 50MA CE                                         |
|                 | 21068           | Switch, 4 Position Rotary CE                                |
|                 | 18295           | Switch, Pushbutton, Momentary CE                            |
|                 | 24684           | Knob, Mode CE                                               |
|                 | 36066           | Thermostat, High Limit Kit (Manual Reset) CE Replaces M3295 |
|                 | M3810           | Probe Clip CE                                               |
|                 | M8593           | Fuse, 10 AMP CE                                             |
|                 | M3167           | Fuseholder, Type HTB-36M CE                                 |
|                 | 33150           | Support Assy, Baffle CE                                     |