



REVISION BLOCK

REV	ECN NO.	DESCRIPTION	DR:	MFG	ENG	DATE
A		ADDED 208/240VAC TOGGLE SWITCH	BT			6-9-98



- JP11 = HEAT
- JP12 = HI SP MOTOR
- JP13 = LO SP MOTOR
- JP14 = DPT STEAM
- JP15 = OVEN LIGHTS
- JP21 = RTD
- JP35 = DOOR SW
- JP40 = POWER SUPPLY
- GP3 = CHASSIS GROUND
- GP4 = CHASSIS GROUND
- JP41 = RS232 CONNECTOR



	VOLTS	KW			AMPS				
		L1-L2	L2-L3	L3-L1	TOTAL	L1	L2	L3	1 PHASE
1 DECK	208	4.16	2.75	2.75	11.66	37	37	22.9	56
1 DECK	240	4.33	3.67	3.67	11.66	28.9	28.9	26.5	48.6
2 DECK	208	8.91	8.91	5.5	23.33	60	74.2	60	132
2 DECK	240	8	8	7.33	23.33	55.3	57.7	55.3	97.2



	SERVICE CONNECTIONS				
	THREE PHASE			SINGLE PHASE	
	L1	L2	L3	L1	L2
1 DECK	1,4	2	3	1,3	2,4
2 DECK	1,4,7	2,5,8	3,6	1,3,5,7	2,4,6,8

PLATINUM

QTY	ITEM	PART NUMBER	DESCRIPTION / MATERIAL
LANG MANUFACTURING			
DR: SRC DATE: 1-7-98		TITLE: W/D ECCO-PT	
CK: FJD DATE: 3-10-98		208/240VAC	
TOLERANCES		NEXT HIGHER ASSY.	
FRACTIONS DECIMALS		SHEET	
1/64 .0015		DRAWING NUMBER	
1/32 .0030		REV	
1/16 .0045		1 OF 1	
.0315 .0060		61111-143	
.0625 .0120		A	
.125 .0240			
.25 .0480			
.5 .0960			
1 .1920			
2 .3840			
4 .7680			
8 .1536			
16 .3072			
32 .6144			
64 .12288			
128 .24576			
256 .49152			
512 .98304			
1024 .196608			
2048 .393216			
4096 .786432			
8192 .1572864			
16384 .3145728			
32768 .6291456			
65536 .12582912			
131072 .25165824			
262144 .50331648			
524288 .100663296			
1048576 .201326592			
2097152 .402653184			
4194304 .805306368			
8388608 .1610612736			
16777216 .3221225472			
33554432 .6442450944			
67108864 .12884901888			
134217728 .25769803776			
268435456 .51539607552			
536870912 .103079215104			
1073741824 .206158430208			
2147483648 .412316860416			
4294967296 .824633720832			
8589934592 .1649267441664			
17179869184 .3298534883328			
34359738368 .6597069766656			
68719476736 .13194139533312			
137438953472 .26388279066624			
274877907344 .52776558133248			
549755814688 .105553116266496			
1099511629376 .211106232532992			
2199023258752 .422212465065984			
4398046517504 .844424930131968			
8796093035008 .1688849860263936			
17592186070016 .3377699720527872			
35184372140032 .6755399441055744			
70368744280064 .13510798882111488			
140737488560128 .27021597764222976			
281474977120256 .54043195528445952			
562949954240512 .10808639105689184			
1125899908481024 .21617278211378368			
2251799816962048 .43234556422756736			
4503599633924096 .86469112845513472			
9007199267848192 .172938225691027136			
18014398535696384 .345876451382054272			
36028797071392768 .691752902764108544			
72057594142785536 .1383505805288217088			
144115188285571136 .2767011610576434176			
288230376571142272 .5534023221152868352			
576460753142284544 .1106804644305736704			
1152921506284569088 .2213609288611473408			
2305843012569138176 .4427218577222946816			
4611686025138276352 .8854437154445893632			
9223372050276552704 .17708874308891787264			
18446744100553105408 .35417748617783574528			
36893488201106210816 .70835497235567149056			
73786976402212421632 .141670994711134298112			
14757395280444843264 .283341989422268596224			
29514790560889686528 .566683978844537192448			
59029581121779373056 .1133367957689074384896			
118059162243558746112 .2266735915378148769792			
236118324487117492224 .4533471830756297539584			
472236648974234984448 .9066943661512595079168			
944473297948469968896 .18133887323251190158336			
188894659589693993792 .36267774646502380316672			
377789319179387987584 .72535549293004760633344			
755578638358775975168 .145071094860009521266688			
1511157276717551950336 .290142189720019042533376			
3022314553435103900672 .580284379440038085066752			
6044629106870207801344 .1160568758880076170133504			
12089258213740415602688 .2321137517760152340267008			
24178516427480831205376 .4642275035520304680534016			
48357032854961662410752 .9284550071040609361068032			
96714065709923324821504 .18569101141812118722136064			
19342813141984649643008 .37138202283624237444272128			
38685626283969299286016 .74276404567248474888544256			
77371252567938598572032 .14855280913449694977108512			
154742505135877197144064 .29710561826899389954217024			
309485010271754394288128 .59421123653798779908434048			
618970020543508788576256 .11884224730759755816868096			
1237940041087017577552512 .23768449461519511633736192			
2475880082174035155104024 .47536898923039023267472384			
4951760164348070310208048 .95073797846078046534944768			
990352032869614062041696 .190147595692156093069889536			
1980704065739228124082304 .380295191384312186139779072			
3961408131478456248164608 .760590382768624372279558144			
7922816262956912496329216 .1521180765537248744559116288			
15845632525913824992658432 .3042361531074497489118255744			
31691265051827649925316864 .6084723062148994978236511488			
63382530103655299850633728 .12169446124297989956473022976			
12676506020731059970126752 .24338892248595979912946045952			
25353012041462119940253504 .48677784497191959825892091904			
50706024082924239880507008 .97355568994383919651784183808			
101412048157848479761014016 .194711137988767839303568377616			
202824096315696959522028032 .389422275977535678607136755232			
405648192631393919044056064 .778844551955071357214273510464			
811296385262787838088112112 .1557689103900142714284454020928			
162259277052557567617222424 .3115378207800285428468890401856			
324518554105115135234444848 .6230756415600570856937780803712			
649037108210230270468889696 .12461512831201141713875561607424			
129807421620460540937779392 .24923025662402283427751123214848			
259614843240921081875558784 .49846051324804566855502246429696			
519229686481842163751117568 .99692102649609133711004492859392			
1038459372963684275502235136 .199384205292182267222089956718784			
2076918745927368551004470272 .398768410584364534444179913437568			
4153837491854737102008940544 .797536821168729068888359826875136			
8307674983709474204017881088 .159507364233745813777679773750272			
1661534996741894840803572176 .319014728467491627555359547500544			
3323069993483789681607144352 .638029456934983255110711915001088			
6646139986967579363214287104 .127605891369996651022122230001776			
13292279973935158726428574208 .255211782739993302044244460003552			
26584559947870317452857148416 .510423565479986604088488920007104			
531691198957406349057142872832 .1020847130959733208176977840014208			
1063382397914812981154255655664 .2041694261919466416353955680028416			
2126764795829625962308511311328 .4083388523838932832707911360056832			
4253529591659251924617022622656 .81667770476778656654158227201137648			
8507059183318503849234045245312 .1633355409535573133083164544022713696			
17014118366637007698468090490624 .326671081907114626616632888004547392			
34028236733274015396936180981248 .653342163814229253233265776009095776			
68056473466548030793872361962496 .1306684327628458506466531552018191552			
136112946933096061587744723924992 .2613368655256917012933063104036394304			
272225893866192123175489447849984 .522673731051383402586612620807278808			
544451787732384246350978895699968 .104534746210276680517322444161455771616			
1088903575464768492701957791399936 .209069492420553361034644888322911543328			
2177807150929536985403915582799872 .4181389848411067220692897766458228867568			
4355614301859073970807831165599744 .8362779696822134441385795532914565573536			
8711228603718147941615662331199488 .1672555938764426888271159106582811407104			
1742245720743629588323132466398976 .33451118775288537765423182131656228140128			
3484491441487259176646264932797952 .6690223755057707553084636426331245628256			
6968982882974518532892529865595904 .1338044751011541510616973252666249125152			
13937965765949037065785059731191808 .267608950202308302123394650533249250304			
27875931531898074131571011546383616 .535217900404616604246789301066498500608			
55751863063796148263142022932767232 .1070435800809233208493578602132997001216			
111503726127592296526284045865534464 .2140871601618466416987157204265994002432			
22300745225518459305256809173106888 .4281743203236932833974314408531988004864			
44601490451036918610513618346213776 .8563486406473865667948628817063976009728			
89202980902073837221027236692427552 .17126972812947731335897257634127952019456			
17840596180414767444205447338485504 .34253945625895462671794515268255904038912			
35681192360829534888410894676971008 .68507891251790925343589030536511808077824			
71362384721659069776821793553942016 .13701578250358185068717806107322416155648			
142724769443318139553643587117844032 .27403156500716370137435612214644831111136			
285449538886636279107287174235688064 .548063130014327402			

REVISION BLOCK						
REV	ECN NO.	DESCRIPTION	DR:	MFG	ENG	DATE
B		ADDED 380 VOLT	DLG			04-23-0

- JP11 = HEAT
- JP12 = HI SP MOTOR
- JP13 = LO SP MOTOR
- JP14 = DPT STEAM
- JP15 = OVEN LIGHTS
- JP21 = RTD
- JP35 = DOOR SW
- JP40 = POWER SUPPLY
- GP3 = CHASSIS GROUND
- GP4 = CHASSIS GROUND
- JP41 = RS232 CONNECTOR




	VOLTS	KV			TOTAL	AMPS			I PHASE
		L1-L2	L2-L3	L3-L1		L1	L2	L3	
1 DECK	480	6.0	2.7	2.7	11.5	15.8	15.8	10.0	N/A
1 DECK	380	6.0	2.7	2.7	11.5	19.7	19.7	17.2	N/A
2 DECK	480	8.7	8.7	5.4	23.0	25.8	31.6	25.8	N/A
2 DECK	380	8.7	8.7	5.4	23.0	32.1	39.5	32.1	N/A


SERVICE CONNECTIONS					
THREE PHASE			SINGLE PHASE		
	L1	L2	L3	N/A	N/A
1 DECK	1	2	3	N/A	N/A
2 DECK	1-6	2-4	3-5	N/A	N/A

PLATINUM


QTY	ITEM	PART NUMBER	DESCRIPTION / MATERIAL
LANG MANUFACTURING			
DR: TPV DATE: 7/1/88		TITLE: W/D ECCO-PT	
CK: TPV DATE:		480, 380 VAC	
TOLERANCES FRACTIONS DECIMALS 1/64 .0015 1/32 .0030 1/16 .0045 3/32 .0090 1/8 .0150 3/16 .0315 1/4 .0630 3/8 .1260 1/2 .2520 3/4 .3780 1 .7560 UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		NEXT HIGHER ASSY.	SHEET
SCALE: TO FIT		1 OF 1	DRAWING NUMBER
		61111-153	REV
			B



REVISION BLOCK						
REV	ECN NO.	DESCRIPTION	DR:	MFG	ENG	DATE
B			CDS			11/17/99



- JP11 = HEAT
- JP12 = HI SP MOTOR
- JP13 = LO SP MOTOR
- JP14 = DPT STEAM
- JP15 = OVEN LIGHTS
- JP21 = RTD
- JP35 = DOOR SW
- JP40 = POWER SUPPLY
- GP3 = CHASSIS GROUND
- GP4 = CHASSIS GROUND
- JP41 = RS232 CONNECTOR



220/380-3 PH 4 WIRE 50 OR 60 HZ

	VOLTS	KILOWATTS			AMPS				
		L1-N	L2-N	L3-N	TOTAL	L1	L2	L3	N
1 DECK		3.7	3.1	3.1	9.9	16.8	14.1	14.1	16.8
2 DECK		4.3	3.8	3.8	11.9	28.9	28.7	28.7	28.9

240/415-3 PH 4 WIRE 50 OR 60 HZ

	VOLTS	KILOWATTS			AMPS				
		L1-N	L2-N	L3-N	TOTAL	L1	L2	L3	N
1 DECK		4.3	3.7	3.7	11.7	17.8	15.3	15.3	17.8
2 DECK		8	8	7.4	23.4	33.1	33.1	30.6	33.1

SERVICE CONNECTIONS				
THREE PHASE				
	L1	L2	L3	N
1 DECK	1	2	3	N
2 DECK				

PLATINUM

QTY	ITEM	PART NUMBER	DESCRIPTION / MATERIAL
LANG MANUFACTURING			
DR: SRC DATE: 1-7-99		TITLE: W/D ECCO-PT	
CK: DATE:		220/380VAC & 240/415VAC	
TOLERANCES		NEXT HIGHER ASSY. SHEET	
FRACTIONS DECIMALS ± 1/64 X ± .06 ANGLES .XX ± .03 ± .5° .00X ± .015 UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWING NUMBER	
SCALE: TO FIT		REV	
		1 OF 1	
		61111161 B	