





MODEL DESIGNATION	TOP ARRANGEMENT		
	SEC-1	SEC-2	
CCR30-SS & CMR30-SS	S	S	88
CCR30-HS & CMR30-HS	H	S	88
CCR30-GS & CMR30-GS	G	S	88
CCR30-IH & CMR30-IH	H	H	88
CCR30-GH & CMR30-GH	G	H	88

① HEAT ELEMENT	② THERMOSTAT	③ HEAT SWITCH	④ MOTOR	⑤ PILOT LAMP	⑥ CONTACTOR	⑦ POWER SWITCH	⑧ SPEED UNIT	⑨ MICRO SWITCH
----------------	--------------	---------------	---------	--------------	-------------	----------------	--------------	----------------


TOP SECTION WIRE DIAGRAMS		
G 18" GRIDDLE	H HOT TOP	S SPEED UNITS

IMPORTANT
RANGE TOP WIRES MUST BE CONNECTED IN OVEN CONTROL AREA

CONVECTION OVEN / RANGE ELEC DATA													
SINGLE PHASE				THREE PHASE									
MODEL NUMBER	KW	AMPS		KW PER PHASE				AMPS					
		208V						240V					
		208V	240V	L1-L2	L2-L3	L1-L3	TOTAL	L1	L	L3	L1	L2	L3
***-SS	17.9	86	75	7.5	5.2	5.2	17.9	61	61	50	53	53	44
***-HS	17.7	85	74	7.5	5.2	5.0	17.7	60	61	49	52	53	43
***-GS	18.7	90	78	7.5	5.2	6.0	18.7	61	65	54	53	56	47
***-SG	18.7	90	78	7.5	6.0	5.2	18.7	65	61	54	56	53	47
***-HH	17.5	84	73	7.5	5.0	5.0	17.5	60	60	48	52	52	42
***-GH	18.5	89	77	7.5	5.0	6.0	18.5	65	60	53	56	52	46





MODEL DESIGNATION	TOP ARRANGEMENT		
	SEC-1	SEC-2	
CCR30-SS & CMR30-SS	S	S	88
CCR30-HS & CMR30-HS	H	S	88
CCR30-GS & CMR30-GS	G	S	88
CCR30-HH & CMR30-HH	H	H	88
CCR30-GH & CMR30-GH	G	H	88



IMPORTANT
 BEFORE TOP WIRE DIAGRAM BE
 CONNECTED, NOVEN CONTROL
 AREA

CONVECTION OVEN/RANGE ELECTRICAL DATA							
MODEL NUMBER	KW PER PHASE				AMPS		
	L1-L2	L2-L3	L1-L3	TOTAL	L1	L2	L3
***-SS	7.5	5.2	5.2	17.9	28	28	22
***-HS	7.5	5.2	5.0	17.7	28	28	21
***-GS	7.5	5.2	6.0	18.7	28	28	23
***-SG	7.5	6.0	5.2	16.5	28	26	23
***-HH	7.5	5.0	5.0	17.5	28	26	21
***-GH	7.5	5.0	6.0	18.5	28	26	23





MODEL NUMBER	KW	SINGLE PHASE		CONVECTION OVEN / RANGE ELEC DATA									
		AMPS		THREE PHASE				AMPS					
		208V	240V	KW PER PHASE				208V			240V		
***-SS	17.9	88	75	L1-L2	L2-L3	L1-L3	TOTAL	L1	L	L3	L1	L2	L3
***-HS	17.7	85	74	7.5	5.2	5.2	17.9	61	61	50	53	53	44
***-GS	18.7	90	78	7.5	5.2	5.0	17.7	60	61	49	52	53	43
***-SG	18.7	90	78	7.5	5.2	6.0	18.7	61	65	54	53	56	47
***-HH	17.5	84	73	7.5	6.0	5.2	18.7	65	61	54	56	53	47
***-GH	18.5	89	77	7.5	5.0	5.0	17.5	60	60	48	52	52	42
				7.5	5.0	6.0	18.5	65	60	53	56	52	46

