


Installation

Install door external handle (if external handle is present)


Step1



Step1

Take out 4 screws ① and handle base ② from accessory bag. Then fix the handle base ② with door by 4 screws ①.


Step2



Step2

Insert handle cover ③ in the handle base ② until a click.


Step3



Step3

Screw lock catch ④ on the freezer cabinet by another 2 screws ①.

Note




Note:

If the lock ring failed to hold the lock when installing handle, please unscrew the round head screws ⑤ on the back of door and adjust the position of door upper and lower. Then drive the screw to fix the handle

Instalar la manija externa de la puerta

(siempre y cuando el modelo contenga manija externa)

Paso 1




Paso 1

Saque 4 tornillos ① y la base de la manija ② de la bolsa de accesorios.

Luego, fije la base de la manija ② con la puerta, con los tornillos ①.



Paso 2



Paso 2

Inserte la cubierta de la manija ③ en la base de la manija ② hasta un clic.


Paso 3



Paso 3

Enrosque la traba de cierre ④ en el gabinete del congelador con los 2 tornillos anteriores ①.

Nota



Nota:

Si el anillo de seguridad falla en mantener el cierre al instalar la manija, desatornille los tornillos de cabeza redonda ⑤ en la parte posterior de la puerta y ajuste la posición de la puerta (hacia arriba / abajo). A continuación, mueva el tornillo para fijar la manija.