Aurora Refrigeration

Models RE-CN-0041E-HC, 0014E-H, 0023E-HC, 0045E-HC, 0009E-HC

Items 59026, 59035, 59036, 59032, 59033

Instruction Manual



STOP

DO NOT RETURN THIS PRODUCT TO THE STORE

For questions or assistance with this product call OMCAN Toll Free:
1 800 465 0234
Customer Service
or
visit the Support section of
www.omcan.com

Revised - 02/09/2023

C ETL LISTED US Intertek

ETL SANITATION LISTED Intertek

Toll Free: 1-800-465-0234

Fax: 905-607-0234

Email: service@omcan.com

www.omcan.com

MADE IN CHINA

Table of Contents

Model RE-CN-0041E-HC / Model RE-CN-0014E-H / Model RE-CN-0023E-HC
Model RE-CN-0045E-HC / Model RE-CN-0009E-HC

Section	Page
Disclaimer	3
General Information	4 - 5
Safety and Warranty	5 - 7
Technical Specifications	8 - 10
Installation	10 - 11
Maintenance	11 - 12
Troubleshooting	12 - 13
Parts Breakdown	14 - 23
Electrical Schematics	24 - 27
Notes	28 - 30
Warranty Registration	31

Disclaimer

OMCAN IS NOT RESPONSIBLE FOR ANY DAMAGES DUE TO WATER LEAKS. WARRANTY FOR WATER LEAKS IS VOID IF THE AMBIENT ROOM TEMPERATURE EXCEEDS 75°F AND 55% RELATIVE HUMIDITY, AND THE APPLIANCE DRAIN IS NOT CONNECTED DIRECTLY TO A FLOOR DRAIN.

OMCAN N'EST PAS RESPONSABLE DES DOMMAGES DUS AUX FUITES D'EAU. LA GARANTIE POUR LES FUITES D'EAU EST ANNULÉE SI LA TEMPÉRATURE AMBIANTE DE LA PIÈCE DÉPASSE 75°F ET 55% D'HUMIDITÉ RELATIVE, ET SI LE DRAIN DE L'APPAREIL N'EST PAS RACCORDÉ DIRECTEMENT À UN DRAIN DE PLANCHER.

OMCAN NO SE HACE RESPONSABLE DE LOS DAÑOS CAUSADOS POR FUGAS DE AGUA. LA GARANTÍA POR FUGAS DE AGUA QUEDA ANULADA SI LA TEMPERATURA AMBIENTE SUPERA LOS 75°F Y EL 55% DE HUMEDAD RELATIVA, Y EL DESAGÜE DEL APARATO NO ESTÁ CONECTADO DIRECTAMENTE A UN DESAGÜE DE PISO.

General Information

Omcan Manufacturing and Distributing Company Inc., Food Machinery of America, Inc. dba Omcan and Omcan Inc. are not responsible for any harm or injury caused due to any person's improper or negligent use of this equipment. The product shall only be operated by someone over the age of 18, of sound mind, and not under the influence of any drugs or alcohol, who has been trained in the correct operation of this machine, and is wearing authorized, proper safety clothing. Any modification to the machine voids any warranty, and may cause harm to individuals using the machine or in the vicinity of the machine while in operation.

CHECK PACKAGE UPON ARRIVAL

Upon receipt of an Omcan shipment please inspect for external damage. If no damage is evident on the external packaging, open carton to ensure all ordered items are within the box, and there is no concealed damage to the machine. If the package has suffered rough handling, bumps or damage (visible or concealed), please note it on the bill of lading before accepting the delivery and contact Omcan within 24 hours, so we may initiate a claim with the carrier. A detailed report on the extent of the damage caused to the machine must be filled out within three days, from the delivery date shown in the shipping documents. Omcan has no recourse for damaged products that were shipped collect or third party.

Before operating any equipment, always read and familiarize yourself with all operation and safety instructions.

Omcan would like to thank you for purchasing this machine. It's of the utmost importance to save these instructions for future reference. Also save the original box and packaging for shipping the equipment if servicing or returning of the machine is required.

Omcan Fabrication et distribution Companie Limité et Food Machinery d'Amerique, dba Omcan et Omcan Inc. ne sont pas responsables de tout dommage ou blessure causé du fait que toute personne ait utilisé cet équipement de façon irrégulière. Le produit ne doit être exploité que par quelqu'un de plus de 18 ans, saine d'esprit, et pas sous l'influence d'une drogue ou d'acohol, qui a été formé pour utiliser cette machine correctement, et est vêtu de vêtements de sécurité approprié. Toute modification de la machine annule toute garantie, et peut causer un préjudice à des personnes utilisant la machine ou des personnes à proximité de la machine pendant son fonctionnement.

VÉRIFIEZ LE COLIS DÈS RÉCEPTION

Dès réception d'une expédition d'Omcan veuillez inspecter pour dommages externes. Si aucun dommage n'est visible sur l'emballage externe, ouvrez le carton afin de s'assurer que tous les éléments commandés sont dans la boîte, et il n'y a aucun dommage dissimulé à la machine. Si le colis n'a subi aucune mauvaises manipulations, de bosses ou de dommages (visible ou cachée), notez-le sur le bond de livraison avant d'accepter la livraison et contactez Omcan dans les 24 heures qui suivent, pour que nous puissions engager une réclamation auprès du transporteur. Un rapport détaillé sur l'étendue des dommages causés à la machine doit être rempli dans un délai de trois jours, à compter de la date de livraison indiquée dans les documents d'expédition. Omcan n'a aucun droit de recours pour les produits endommagés qui ont été expédiées ou cueilli par un tiers transporteur.

General Information

Avant d'utiliser n'importe quel équipement, toujours lire et vous familiariser avec toutes les opérations et les consignes de sécurité.

Omcan voudrais vous remercier d'avoir choisi cette machine. Il est primordial de conserver ces instructions pour une référence ultérieure. Également conservez la boîte originale et l'emballage pour l'expédition de l'équipement si l'entretien ou le retour de la machine est nécessaire.

Omcan Empresa De Fabricacion Y Distribucion Inc. Y Maquinaria De Alimentos De America, Inc. dba Omcan y Omcan Inc. no son responsables de ningun daño o perjuicío causado por cualquier persona inadecuada o el uso descuidado de este equipo. El producto solo podra ser operado por una persona mayor de 18 años, en su sano juicio y no bajo alguna influencia de droga o alcohol, y que este ha sido entrenado en el correcto funcionamiento de esta máquina, y ésta usando ropa apropiada y autorizada. Cualquier modificación a la máquina anúla la garantía y puede causar daños a las personas usando la máquina mientras esta en el funcionamiento.

REVISE EL PAQUETE A SU LLEGADA

Tras la recepcion de un envio Omcan favor inspeccionar daños externos. Si no hay daños evidentes en el empaque exterior, Habra el carton para asegurararse que todos los articulos solicitados ésten dentro de la caja y no encuentre daños ocultos en la máquina. Si el paquete ha sufrido un manejo de poco cuidado, golpes o daños (visible o oculto) por favor anote en la factura antes de aceptar la entrega y contacte Omcan dentro de las 24 horas, de modo que podamos iniciar una reclamación con la compañia. Un informe detallado sobre los daños causados a la máquina debe ser llenado en el plazo de tres días, desde la fecha de entrega que se muestra en los documentos de envío. Omcan no tiene ningun recurso por productos dañados que se enviaron a recoger por terceros.

Antes de utilizar cualquier equipo, siempre lea y familiarizarse con todas las instrucciones de funcionamiento y seguridad.

Omcan le gustaría darle las gracias por la compra de esta máquina. Es de la mayor importancia para salvar estas instrucciones para futuras consultas. Además, guarda la caja original y el embalaje para el envío del equipo si servicio técnico o devolución de la máquina que se requiere.

Safety and Warranty

Please pay close attention to the safety notices in this section. Disregarding these notices may lead to serious injury and can damage the unit.

CAUTION FOR SAFETY

1. Leave enough space from the wall to the cabinet and the ceiling; do not place the back of the unit against the wall.

Safety and Warranty

Caution: keep a minimum of 20cm from the cabinet and the wall.

2. Please keep other objects away from the unit that may cause a fire.
3. Do not store flammable or combustible materials near the unit.
4. Only connect to a grounded single phase connection.
   Caution: Do not connect grounding wire to a water or gas pipe.
5. Handle with caution during transportation, the unit can only be leaned a maximum of 45°.
6. When encountering problems, please refer to the Troubleshooting section or call Omcan.

Danger: Flammable refrigerant used. Do not use mechanical devices to defrost the unit. Do not puncture the refrigerant tubing. To be repaired only by trained service technicians.

Caution: Flammable refrigerant used. Consult repair manual/owners guide before attempting to service this unit. All safety precautions must be followed.

Caution: Dispose of properly in accordance with federal or local regulations. Flammable refrigerant used.

Caution: Follow handling instructions carefully.

Caution: Ensure all ventilation openings are unobstructed.

Caution: Servicing shall be done by authorized service personnel, so as to minimize the risk of injury due to incorrect parts or improper service.

ATTENTION

- To minimize shock and fire hazards, be sure not to overload outlet. Please designate one outlet for your unit.
- Do not use extension cords.
- Do not put your hands under the unit when the unit is required to be moved.
- When the unit is not in use for a long period of time, please unplug the unit from the outlet.
- After unplugging the unit, wait at least 10 minutes before re-plugging it. Failure to do so could cause damage to the compressor.

UNPLUG CORD

- To minimize shock and fire hazards, please do not plug or unplug the cord with wet hands.
- During maintenance and cleaning, please unplug the unit..

PROPER GROUNDING REQUIRED

- To minimize shock and fire hazards, make sure that the unit is properly grounded.

PROHIBITION

- Do not attempt to remove or repair any component unless instructed by Omcan.
- Make sure that the unit is not resting on or against the electrical cord and plug.
- To minimize personal injury, do not hang on the doors.
- Do not store any flammable or explosive material inside the unit.

- Do not attempt to alter or tamper with the electrical cord.

RESIDENTIAL USERS: Vendor assumes no liability for parts or labor coverage for component failure or other damages resulting from installation in non-commercial or residential applications. The right is reserved to deny shipment for residential usage; if this occurs, you will be notified as soon as possible.

1 YEAR PARTS AND LABOUR WARRANTY

Within the warranty period, contact Omcan Inc. at 1-800-465-0234 to schedule an Omcan authorized service technician to repair the equipment locally.

Unauthorized maintenance will void the warranty. Warranty covers electrical and part failures, not improper use.

Please see https://omcan.com/disclaimer for complete info.

WARNING:

The packaging components are classified as normal solid urban waste and can therefore be disposed of without difficulty.

In any case, for suitable recycling, we suggest disposing of the products separately (differentiated waste) according to the current norms.

DO NOT DISCARD ANY PACKAGING MATERIALS IN THE ENVIRONMENT!

Technical Specifications

STAINLESS STEEL DOORS

Model	RE-CN-0041E-HC
Temperature Range	0.6 - 4.4°C / 33 - 40°F
Max Ambient Temp Rating	24°C / 75°F
Power	432 W
Refrigerant	R290
Isolation Material	Cyclopentane
Cooling System	Ventilated
Defrosting	Automatic
Type of Controller	Digital
Self-Closing Door	Yes
Current	4.56A
Number of Doors	2
Number of Shelves	6
Shelf Material	Plastic Coated
Shelf Loading Capacity	88 lbs. / 39.9 kgs.
Electrical	110-120V / 60Hz / 1
Interior Dimensions	49.4” x 27.1” x 53.5” / 1255 x 688 x 1360mm
Overall Dimensions	54” x 32.2” x 82.5” / 1371 x 818 x 2095mm
Packaging Dimensions	56.5” x 34.6” x 85” / 1435 x 880 x 2160mm
Net Volume	1169 L / 41.3 cu.ft.
Weight	447.5 lbs. / 203 kgs.
Packaging Weight	531.3 lbs. / 241 kgs.
Item Number	59026

Technical Specifications

GLASS DOOR - BLACK UNITS

Model	RE-CN-0014E-H	RE-CN-0023E-HC
Temperature Range	0.6 - 4.4°C / 33 - 40°F	
Max Ambient Temp Rating	24°C / 75°F	
Power	288 W	384 W
Refrigerant	R290	
Isolation Material	Cyclopentane	
Cooling System	Ventilated	
Defrosting	Automatic	
Type of Controller	Digital	
Self-Closing Door	Yes	
Current	3A	3.96A
Number of Doors	1	
Number of Shelves	4	
Shelf Material	Plastic Coated	
Shelf Loading Capacity	88 lbs. / 39.9 kgs.	
Electrical	110-120V / 60Hz / 1	
Interior Dimensions	22.8” x 19.5” x 55.5” 580 x 495 x 1410mm	25.2” x 28.3” x 62.5” 640 x 720 x 1588mm
Overall Dimensions	25.6” x 22.8” x 79.3” 650 x 580 x 2015mm	28.3” x 31.9” x 79.3” 720 x 810 x 2015mm
Packaging Dimensions	28.1” x 26.6” x 85” 715 x 675 x 2160mm	30.1” x 35.6” x 85.4” 765 x 905 x 2170mm
Net Volume	382 L / 13.5 cu.ft.	640 L / 22.6 cu.ft.
Weight	264.6 lbs. / 120 kgs.	319.7 lbs. / 145 kgs.
Packaging Weight	297.6 lbs. / 135 kgs.	352.7 lbs. / 160 kgs.
Item Number	59035	59036

Technical Specifications

GLASS DOOR - WHITE UNITS

Model	RE-CN-0045E-HC	RE-CN-0009E-HC
Temperature Range	0.6 - 4.4°C / 33 - 40°F	
Max Ambient Temp Rating	24°C / 75°F	
Power	576 W	288 W
Refrigerant	R290	
Isolation Material	Cyclopentane	
Cooling System	Ventilated	
Defrosting	Automatic	
Type of Controller	Digital	
Self-Closing Door	Sliding	Yes
Current	6A	2.88A
Number of Doors	2	1
Number of Shelves	8	4
Shelf Material	Plastic Coated	
Shelf Loading Capacity	88 lbs. / 39.9 kgs.	
Electrical	110-120V / 60Hz / 1	
Interior Dimensions	50” x 28.3” x 61.9” 1270 x 720 x 1573mm	18.9” x 18.3” x 46.1” 480 x 465 x 1170mm
Overall Dimensions	53.1” x 31.9” x 83.9” 1350 x 810 x 2130mm	21.7” x 21.7” x 63” 550 x 550 x 1600mm
Packaging Dimensions	55.9” x 33.5” x 85” 1420 x 850 x 2160mm	24.2” x 25.4” x 69.7” 615 x 645 x 1770mm
Net Volume	1130 L / 39.9 cu.ft.	240 L / 8.5 cu.ft.
Weight	436.5 lbs. / 198 kgs.	189.6 lbs. / 86 kgs.
Packaging Weight	540.1 lbs. / 245 kgs.	209.4 lbs. / 95 kgs.
Item Number	59032	59033

Installation

IMPORTANT!!! PLEASE READ BEFORE INSTALLATION

- If the unit has recently been transported, please let the unit stand upright for a minimum of 24 hours before plugging it in.
- Make sure that the unit drops down to the desired temperature before loading the unit with product.
- Make sure that there is proper ventilation around the unit in the area where it will operate.

Installation

- Make sure all accessories are installed (shelves, casters, ect.) before plugging in the unit.
- Please read through the manual in its entirety.

CABINET LOCATION GUIDELINES

INSTALL THE UNIT ON A STRONG AND LEVELED SURFACE

- Unit may make unpleasant noises if surface is uneven.
- Unit may malfunction if surface is uneven.

INSTALL THE UNIT IN AN INDOOR, WELL VENTILATED AREA

- Unit performs more efficiently in a well ventilated area.
- For best performance, please maintain a clearance of 4” from the back of the unit.
- Not to be used outdoors.

AVOID INSTALLATION IN A HIGH HUMIDITY AND/OR DUSTY AREA

- Humidity can cause the unit to rust and decrease efficiency of the unit.
- Dust collected on the condenser coil will cause the unit to malfunction. Clean the condenser at least once a month with a brush or clean cloth.

SELECT A LOCATION AWAY FROM HEAT AND MOISTURE-GENERATING EQUIPMENT

- High ambient temperatures will cause the compressor to overwork, leading to higher energy bills and gradual breakdown of the unit.

ELECTRICAL

Please ensure that the required voltage of the compressor is being supplied at all times. Low or high voltage can detrimentally affect the refrigeration unit. All units should be plugged into a grounded a properly-sized electrical outlet with appropriate overcurrent protection. Please refer to the electrical requirements on the rating plate. Please make sure that your unit has its own dedicated outlet. Do not use an extension cord.

Maintenance

CLEANING THE CONDENSER COIL

- For efficient operation, it is important that the condenser surface be kept free of dust, dirt and lint.
- We recommend cleaning the condenser coil and fins at least once per month.
- Clean with a commercial condenser coil cleaner. Brush the condenser fins from top to bottom, not side to side.
- After cleaning, straighten any bent condenser fins with a fin comb.

Maintenance

CLEANING THE FAN BLADES AND MOTOR

If necessary, clean the fan blades and motor with a soft cloth. If it is necessary to wash the fan blades, cover the fan motor to prevent moisture damage.

CLEANING THE INTERIOR OF THE UNIT

- When cleaning the cabinet interior, us a solvent of warm water and mild soap.
- Do not use steel wool, caustic soap, abrasive cleaners, or bleach that may damage the stainless steel surface.
- Wash door gaskets on a regular basis, preferably weekly. Simply remove door gasket from the frame of the door, soak in warm water and soap for thirty (30) minutes, dry with a soft cloth and replace.
- Check door gaskets for proper seal after they are replaced.
- Periodically remove the shelves and pilasters from the unit and clean them with mild soap and warm water. To remove the pilasters, first remove the shelves and shelf brackets. Then, simply lift the pilaster up and out.

Warning: Disconnect power cord before cleaning any parts of the unit.

Troubleshooting


Problem	Possible Cause	Solution
Compressor not running.	Fuse blown or circuit breaker tripped.	Replace fuse or reset circuit breaker.
	Power cord unplugged.	Plug in power cord.
	Thermostat set too high.	Set thermostat to a lower temperature.
	Cabinet in defrost cycle.	Wait for defrost cycle to finish.

Troubleshooting

Condensing unit runs for long periods of time.	Excessive amount of warm product placed in cabinet.	Allow adequate time for product to cool down.
	Prolonged door opening or door ajar.	Ensure doors are closed when not in use. Avoid opening doors for long periods of time.
	Door gaskets not sealing properly.	Ensure gaskets are snapped in completely. Remove gaskets and wash with soap and water. Check condition of gaskets and replace if necessary.
	Dirty condenser coil.	Clean the condenser coil.
	Evaporator coil iced over.	Unplug unit and allow coil to defrost. Make sure thermostat is not set too cold. Ensure that the door gaskets are sealing properly.
Cabinet temperature is too warm.	Thermostat set too warm.	Set thermostat to a lower temperature.
	Blocking air flow.	Re-arrange product to allow for proper air flow. Make sure there is at least 4” of clearance from evaporator.
	Excessive amount of warm product placed in cabinet.	Allow adequate time for product to cool down.
	Fuse blown or circuit breaker tripped.	Replace fuse or reset circuit breaker.
	Dirty condenser coil.	Clean the condenser coil.
	Prolonged door opening or door ajar.	Ensure doors are closed when not in use. Avoid opening doors for long periods of time.
	Evaporator coil iced over.	
Cabinet is noisy.	Loose parts.	Locate and tighten the loose parts.
	Tubing vibration.	Ensure tubing is free from contact with other tubing or components.

Parts Breakdown

Model RE-CN-0041E-HC *59026*



Parts Breakdown

Model RE-CN-0041E-HC 59026


Item No.	Description	Position
AF047	Cabinet for 59026	1
AI376	Control Panel for 59026	2
AF048	Front Grill for 59026	3
AI377	Right Door for 59026	4
AB029	Gasket for 59026	5, 10
AA954	Upper Right Hinge Holder for 59026	6
AA956	Bottom Right Hinge Holder for 59026	7
AA955	Left/Right Spring Hinge for 59026	8, 13
AI370	Left Door for 59026	9
AB032	Upper Left Hinge Holder for 59026	11
AB033	Bottom Left Hinge Holder for 59026	12
AA959	Hinge for 59026	14
AA197	Lock for 59026	15
AF028	Lock Bolt for 59026	16
61471	Leg Supporter for 59026	17
AF825	Evaporator Fan Motor for 59026	18
AA962	Blade of Evaporator Fan Motor for 59026	19
AF031	Evaporator Fan Motor Holder for 59026	20
AF032	Right Air Guide Sheet for 59026	21

Item No.	Description	Position
AF033	Left Air Guide Sheet for 59026	22
AI371	Evaporator for 59026	23
AF051	Inner Drain Pan for 59026	24
AA969	Drain Hose for 59026	25
69703	Elbow Pipe for 59026	26
AA970	Light Components for 59026	27
AF037	Evap Fan Motor Cover for 59026	28
26884	K Clip for 59026	29
AA809	K Strip for 59026	30
AF052	Back Brackets for 59026	31
AA975	Shelf for 59026	32
AF053	Evaporator Cover for 59026	33
AF040	Left Track for Assembling Panel for 59026	34
AF041	Right Track for Assembling Panel for 59026	35
AF054	Compressor Unit Installation Board for 59026	36
AI372	Compressor for 59026	37
AI373	Compressor Starting Components for 59026	38 - 41
AB595	Filter Fixer for 59026	42
AB594	Filter for 59026	43

Item No.	Description	Position
AF055	Condenser for 59026	44
AI374	Condenser Fan Motor for 59026	45
AA764	Condenser/Evaporator Fan Motor Blade for 59026	46
AA249	Condenser Fan Motor Cover for 59026	47
AB970	Outer Drain Pan for 59026	48
AF056	Back Grill for 59026	49
AA124	Power Switch for 59026	50
AI375	Thermostat for 59026	51
AB977	Door Switch for 59026	52
AF046	Drain Plug for 59026	53
26247	Caster without Brake for 59026	54
26246	Caster with Brake for 59026	55
AA993	Power Plug Fitting Base for 59026	56
AA216	Drain Tube for 59026	57
AA379	Temperature Probe for 59026	58
AA197	Lock for 59026	59
AA805	Power Cord for 59026	60
AF057	Cabinet Supporter for 59026	61

Parts Breakdown

Model RE-CN-0014E-H *59035*




Parts Breakdown

Model RE-CN-0014E-H *59035*

Item No.	Description	Position
AE907	Castor Supporter for 59035	1
AE896	Right Track for Installation Board for 59035	2
AA185	Leveling Feet for 59035	3
AE897	Left Track for Installation Board for 59035	4
AE908	Air Pipe Protection Board for 59035	5
AA528	Drain Hose for 59035	6
AA214	Thermostat Water Proof Cover for 59035	7
AA216	Drain Tube for 59035	8
AA686	Plastic Drain Pipe with Fixer for 59035	9, 10
AA687	Drain Pipe Cover for 59035	11
AE909	Front Grille for 59035	12
AB109	Thermostat for 59035	13
AA362	LED Light Switch for 59035	14
AA124	Power Switch for 59035	15
AM513	LED in Light Box for 59035	16
AG461	LED Light for 59035	17
AA723	Handle of Installation Board for 59035	18
AE911	K Strip for 59035	19
26884	K Clip for 59035	20
AA725	Shelf Tag for 59035	21
AM514	Shelf for 59035	22
AA695	Glass Door Handle for 59035	23
AA727	Glass Door for 59035	24
AA728	Glass Door Gasket for 59035	25
AE912	Top Cover for 59035	27
AB966	Upper Right Hinge Holder for 59035	28
AM515	Evaporator Fan Motor for 59035	29
AE913	Evaporator Cover for 59035	30
AA733	Evaporator for 59035	31
AA135	Power Cord for 59035	32
AA703	Power Cord Cover for 59035	33
AE914	Back Grill for 59035	34
AM516	Condenser Fan Motor for 59035	35
AI960	Condenser Fan Cover for 59035	36
AI968	Filter for 59035	37
AB595	Filter Fixer for 59035	38
AE904	Compressor Unit Installation Board for 59035	39
AE905	Outer Drain Pan for 59035	40
AI386	Compressor for 59035	41
AA962	Blade of Evaporator Fan Motor for 59035	42
AM517	Condenser for 59035	43
AA710	Evaporator Fan Motor Cover for 59035	44
AM179	LED Power Supply for 59035	45
AF036	Elbow Pipe for 59035	46
AA713	Bottom Right Hinge Holder for 59035	47
AA714	Hinge Axis for 59035	48
AA715	Axis Cover for 59035	49
AB974	Handle for Installation Board for 59035	50
AA304	Installation Board Limited Block for 59035	51
AA740	Light Box Frame for 59035	52

Parts Breakdown

Model RE-CN-0023E-HC *59036*




Parts Breakdown

Model RE-CN-0023E-HC *59036*

Item No.	Description	Position
AB953	Right Track for Installation Board for 59036	1
AB954	Castor Supporter for 59036	2
AA135	Power Cord for 59036	3
AA703	Power Cord Cover for 59036	4
AA743	4" Caster without Brake for 59036	5
AA584	Caster with Break for 59036	6
AB955	Back Grill for 59036	7
AA216	Drain Tube for 59036	8
AA687	Drain Pipe Cover for 59036	9
AA686	Plastic Drain Pipe with Fixer for 59036	10, 11
AB109	Thermostat for 59036	12
AA362	LED Light Switch for 59036	13
AA124	Power Switch for 59036	14
AB956	Front Grill for 59036	15
AB957	K Strip for 59036	16
26884	K Clip for 59036	17
AA747	Shelf for 59036	18
AA748	Shelf Tag for 59036	19
AA722	LED Light for 59036	20
AB959	Outer Drain Pan for 59036	22
AB960	Left Track for Installation Board for 59036	23
AB961	Compressor Unit Installation Board for 59036	24
AA713	Bottom Right Hinge Holder for 59036	25
AA714	Hinge Axis for 59036	26
AA715	Axis Cover for 59036	27
AA753	Light Box Plate for 59036	28
AA754	Light Box Frame for 59036	29
AA721	LED in Light Box for 59036	30
AA711	LED Power Supply for 59036	31
AI382	Temperature Probe for 59036	32
AI825	Evaporator Cover for 59036	33
AA764	Condenser/Evaporator Fan Motor Blade for 59036	34, 50
AI381	Evaporator Installation Bracket for 59036	35
AF825	Evaporator Fan Motor for 59036	36
AA863	Fixer for Probe for 59036	37
AA759	Evaporator for 59036	38
AB077	Condenser Fan Cover for 59036	39
AA712	Inner Drain Tube Connector for 59036	40
AA528	Drain Hose for 59036	41
AI826	Air Pipe Protection Board for 59036	42
AA695	Glass Door Handle for 59036	43
AB966	Upper Right Hinge Holder for 59036	44
AA761	Glass Door for 59036	45
AA762	Gasket for 59036	46
AI395	Compressor for 59036	47
AI321	Condenser Fan Motor for 59036	49
AB594	Filter for 59036	51
AB595	Filter Fixer for 59036	52
AA249	Condenser Fan Motor Cover for 59036	53
AA250	Condenser for 59036	54
AA214	Thermostat Water Proof Cover for 59036	55

Parts Breakdown

Model RE-CN-0045E-HC *59032*




Parts Breakdown

Model RE-CN-0045E-HC 59032

Item No.	Description	Position
AE876	Compressor for 59032	1
AI321	Condenser Fan Motor for 59032	3, 38
AA764	Condenser/Evaporator Fan Motor Blade for 59032	4, 39
AA249	Condenser Fan Motor Cover for 59032	5
AA300	Condenser for 59032	6
AE878	Caster Supporter for 59032	7
AB974	Handle for Installation Board for 59032	8
AA304	Installation Board Limited Block for 59032	9
AE879	Support Rod for 59032	10
AA743	4" Caster without Brake for 59032	11
AA584	Caster with Brake for 59032	12
AE881	Back Grill for 59032	13
AG049	Front Grill for 59032	14
AA214	Thermostat Water Proof Cover for 59032	15
AB109	Thermostat for 59032	16
AA362	LED Light Switch for 59032	17
AA124	Power Switch for 59032	18
AA777	Shelf Tag for 59032	19
26884	K Clip for 59032	20
AA809	K Strip for 59032	21
AA779	Shelf for 59032	22
AA722	LED Light for 59032	23
AA780	Light Plate for 59032	24
AI378	Light Box for 59032	25
65106	LED Light in Lamp Box for 59032	26
AI379	Middle Beam Sheet for 59032	27
AA787	LED Power Supply for 59032	29
AI380	Evaporator Cover for 59032	30
AE887	Left End Plate for Evaporator for 59032	31
AG551	Evaporator for 59032	32
AI381	Evaporator Installation Bracket for 59032	33
AE888	Right End Plate for Evaporator for 59032	34
AA863	Fixer for Probe for 59032	35
AA794	Power Cord Cover for 59032	36
AI382	Temperature Probe for 59032	37
AB077	Condenser Fan Cover for 59032	40
AA712	Inner Drain Tube Connector for 59032	41
AA528	Drain Hose for 59032	42
AA766	Left Glass Door for 59032	43
AA796	Upper Cabinet Frame for 59032	44
AA797	Rubber Limited Block for 59032	45
AA798	Seal Strip for 59032	46
AA799	Left/Right Cabinet Frame for 59032	47
AA800	Right Glass Door for 59032	48
AA801	Bigger Wheel for Door for 59032	49
AA802	Smaller Wheel for Door for 59032	50
AG052	Door Track for 59032	51
62363	Door Handle for 59032	52
AI383	Air Pipe Protection Board for 59032	53
AA805	Power Cord for 59032	54
AG053	Grill Fixer for 59032	55
AA216	Drain Tube for 59032	56
AA687	Drain Pipe Cover for 59032	57
AA686	Plastic Drain Pipe with Fixer for 59032	58
AA767	Front Grill Fixer for 59032	59
AA703	Power Cord Cover for 59032	60
AB959	Outer Drain Pan for 59032	61
AE892	Left Rail for Installation Board for 59032	62
AE893	Installation Board for 59032	63
AE894	Right Rail for Installation Board for 59032	64
AB595	Filter Fixer for 59032	65
AB594	Filter for 59032	66
AI384	Back Sheet of Middle Beam for 59032	67
AG050	Bottom Cabinet Frame for 59032	68

Parts Breakdown

Model RE-CN-0009E-HC *59033*




Parts Breakdown


Model RE-CN-0009E-HC *59033*

Item No.	Description	Position
AE895	Castor Supporter for 59033	1
AE896	Right Track for Installation Board for 59033	2
AA185	Leveling Feet for 59033	3
AE897	Left Track for Installation Board for 59033	4
AE898	Back Plate for 59033	5
AA528	Drain Hose for 59033	6
AI385	Waterproof Cover of Thermostat for 59033	7
AA216	Drain Tube for 59033	8
AA686	Plastic Drain Pipe with Fixer for 59033	9, 10
AA687	Drain Pipe Cover for 59033	11
AE899	Front Grille for 59033	12
AB109	Thermostat for 59033	13
AA362	LED Light Switch for 59033	14
AA124	Power Switch for 59033	15
AA689	Upper Hinge Cover for 59033	16
AA690	LED Light for 59033	17
AB974	Handle for Installation Board for 59033	18
AE900	K Strip for 59033	19
26884	K Clip for 59033	20
AA693	Shelf Tag for 59033	21
AA694	Shelf for 59033	22
AA695	Glass Door Handle for 59033	23
AA696	Glass Door for 59033	24
AA697	Glass Door Gasket for 59033	25
AA699	Upper Right Hinge Holder for 59033	27
AA304	Installation Board Limited Block for 59033	28
AA128	Condenser Fan Motor for 59033	29
AE902	Evaporator Cover for 59033	30
AA702	Evaporator for 59033	31
AA135	Power Cord for 59033	32
AA703	Power Cord Cover for 59033	33
AE903	Back Grill for 59033	34
AF825	Evaporator Fan Motor for 59033	35
AA207	Condenser Fan Motor Cover for 59033	36
AB594	Filter for 59033	37
AB595	Filter Fixer for 59033	38
AE904	Compressor Unit Installation Board for 59033	39
AE905	Outer Drain Pan for 59033	40
AI386	Compressor for 59033	41
AA208	Condenser Fan Blade for 59033	42
AA709	Condenser for 59033	43
AA710	Evaporator Fan Motor Cover for 59033	44
AA711	LED Power Supply for 59033	45
AA712	Inner Drain Tube Connector for 59033	46
AA713	Bottom Right Hinge Holder for 59033	47
AA714	Hinge Axis for 59033	48
AA715	Axis Cover for 59033	49

Electrical Schematics


Model RE-CN-0041E-HC *59026*






Electrical Schematics


Model RE-CN-0014E-H 59035
Model RE-CN-0023E-HC 59036






Electrical Schematics


Model RE-CN-0045E-HC *59032*



Electrical Schematics

Model RE-CN-0009E-HC *59033*





Notes

Notes

Notes

Warranty Registration

Thank you for purchasing an Omcan product. To register your warranty for this product, complete the information below, tear off the card at the perforation and then send to the address specified below. You can also register online by visiting:

Merci d'avoir acheté un produit Omcan. Pour enregistrer votre garantie pour ce produit, complétez les informations ci-dessous, détachez la carte au niveau de la perforation, puis l'envoyer à l'adresse spécifié ci-dessous. Vous pouvez également vous inscrire en ligne en visitant:

Gracias por comprar un producto Omcan usted. Para registrar su garantía para este producto, complete la información a continuación, cortar la tarjeta en la perforación y luego enviarlo a la dirección indicada a continuación. También puede registrarse en línea en:

https://omcan.com/warranty-registration/

For mailing in Canada

Pour postale au Canada

Por correo en Canadá

OMCAN
PRODUCT WARRANTY REGISTRATION
3115 Pepper Mill Court,
Mississauga, Ontario
Canada, L5L 4X5

For mailing in the US

Pour diffusion aux États-Unis

Por correo en los EE.UU.

OMCAN
PRODUCT WARRANTY REGISTRATION
4450 Witmer Industrial Estates, Unit 4,
Niagara Falls, New York
USA, 14305

or email to: service@omcan.com

Purchaser's Information

Name: _____ Company Name: _____

Address: _____

Telephone: _____

City: _____ Province or State: _____ Postal or Zip: _____ Email Address: _____

Country: _____ Type of Company:

☐ Restaurant ☐ Bakery ☐ Deli

Dealer from which Purchased: _____ ☐ Butcher ☐ Supermarket ☐ Caterer

Dealer City: _____ Dealer Province or State: _____ ☐ Institution *(specify)*: _____

Invoice: _____ ☐ Other *(specify)*: _____

Model Name: _____ Model Number: _____ Serial Number: _____

Machine Description: _____

Date of Purchase (MM/DD/YYYY): _____ Date of Installation (MM/DD/YYYY): _____

Would you like to extend the warranty? ☐ Yes ☐ No

Thank you for choosing Omcan | Merci d'avoir choisi Omcan | Gracias por elegir Omcan

Since 1951 Omcan has grown to become a leading distributor of equipment and supplies to the North American food service industry. Our success over these many years can be attributed to our commitment to strengthen and develop new and existing relationships with our valued customers and manufacturers. Today with partners in North America, Europe, Asia and South America, we continually work to improve and grow the company. We strive to offer customers exceptional value through our qualified local sales and service representatives who provide convenient access to over 6,500 globally sourced products.

Depuis 1951 Omcan a grandi pour devenir un des “leaders” de la distribution des équipements et matériel pour l’industrie des services alimentaires en Amérique du Nord. Notre succès au cours de ces nombreuses années peut être attribué à notre engagement à renforcer et à développer de nouvelles et existantes relations avec nos clients et les fabricants de valeur. Aujourd’hui avec des partenaires en Amérique du Nord, Europe, Asie et Amérique du Sud, nous travaillons continuellement à améliorer et développer l’entreprise. Nous nous efforçons d’offrir à nos clients une valeur exceptionnelle grâce à nos ventes locales qualifiées et des représentants de service qui offrent un accès facile à plus de 6500 produits provenant du monde entier.

Desde 1951 Omcan ha crecido hasta convertirse en un líder en la distribución de equipos y suministros de alimentos en América del Norte industria de servicios. Nuestro éxito en estos años se puede atribuir a nuestro compromiso de fortalecer y desarrollar nuevas relaciones existentes con nuestros valiosos clientes y fabricantes. Hoy con socios de América del Norte, Europa, Asia y América del Sur, que trabajan continuamente para mejorar y crecer la empresa. Nos esforzamos por ofrecer a nuestros clientes valor excepcional a través de nuestro local de ventas y representantes de los servicios que proporcionan un fácil acceso a más de 6,500 productos con origen a nivel mundial.

