





SINGLE PHASE
2/3 CONNECTION
(OPTIONAL
REDUCED KW)

THREE PHASE
CONNECTION
(STANDARD)

AMPS			
Volts	1 PH @ 2/3	1 PH	3-PH
208-9	28.9	43.3	25.0
220-9	27.3	41.0	23.7
240-9	25.0	37.5	21.7
208-15	48.1	72.2	41.7
220-15	45.5	68.2	39.4
240-15	41.7	62.5	36.1

E1B-4 (200-240W)



ITEM	DESCRIPTION	PART NO.	QTY	ITEM	DESCRIPTION	PART NO.	QTY
*1	EL. ASM. 380V (220V)9kW, 13.7 A/PH	7952-2	1	9	TIMER, 60 MIN@60Hz	4-T209-1	1
	EL. ASM. 380V (220V)15kW, 22.8 A/PH	7952-7	1	10	BUZZER	4742-1	1
	EL. ASM. 415V (240V)9kW, 12.6 A/PH	7952-3	1	11	SWITCH, ON/OFF, DPDT	9130-1	1
	EL. ASM. 415V (240V)15kW, 20.9 A/PH	7952-8	1	12	TERMINAL SECTION	4-22TB	3
	EL. ASM. 480V (277V)9kW, 10.9 A/PH	7952-4	1	13	TERMINAL END PIECE	4-22ES	1
	EL. ASM. 480V (277V)15kW, 18.1 A/PH	7952-9	1	14	PRESSURE SWITCH	9247-1	1
	EL. ASM. 600V (347V)9kW, 8.7 A/PH	7952-5	1	15	TIME DELAY RELAY, DUAL	9242-2	1
	EL. ASM. 600V (347V)15kW, 14.5 A/PH	7952-10	1	16	FUSE, 1A, 600V	9001-3	2
2	CONTACTOR	4-NC41	1	17	FUSE HOLDER	9002-1	2
3	HIGH LIMIT THERMOSTAT, 350°F	4914-1	1	*18	TRANSFORMER, 380/220, 100VA	4-T251	1
4	RELAY, DPDT	9-3174	1		TRANSFORMER, 415/240, 100VA	4-T251	1
5	PILOT LAMP, GREEN, READY	4-PL04-1	1		TRANSFORMER, 480/240, 100VA	4-T255	1
6	PILOT LAMP, RED, COOKING	4-PL07-1	1		TRANSFORMER, 600/240, 100VA	4-T260	1
7	THERMOSTAT, STAND-BY, 168°F	9077-1	1				
8	SWITCH, SPDT, DOOR INTERLOCK	9-3213	1				

3E-15074R0

R18-4 (380, 415, 480, 600V)

