

AR40 VL-1S



Spare parts manual

Valid from machine number:
40008527

Varimixer

Varimixer A/S
Elementfabrikken 9
DK-2605 Brøndby
Denmark

P: +45 4344 2288
E: info@varimixer.com
www.varimixer.com

EN

DRN: 24040-1402
2022 12 06

SPEED REGULATION.....	3
TRANSMISSION	4
PLANETARY HEAD	6
MACHINE COLUMN.....	8
SAFETY GUARD.....	10
LIFTING SYSTEM	12
ATTACHMENT DRIVE.....	14
MICROSWITCHES	16
CABLES.....	17
ELECTRIC COMPONENTS.....	18
FRONT PANEL ASSEMBLY.....	20
BOWLS AND MIXING TOOLS	22

ORDERING OF SPARE PARTS:

Sales of spare parts for our mixers, are handled in our sales and service department. When ordering spare parts, the following information must be provided:


- 1. Type of machine.**
- 2. Number of the machine.**
- 3. Article number of the spare part in question. (Order no.)**
- 4. Method of conveyance.**

If one of the above pieces of information is missing, please contact our sales and service department before placing the order, as then we can assist you in finding the correct article number (**order no.**) of the spare part in question.

A few spare parts are not sold alone, in such cases reference is made at the pos.number to the assembly number to be used for ordering. The assembly numbers are shown on the relevant pages.


Returning of spare parts is only allowed when agreed with:

Varimixer A/S



TRANSMISSION


FIG NO.	ORDER NO.	DESCRIPTION
1	STA6018	Washer
7	R27-128	V-belt pulley
9	STA2024	Feather Key
10	STA3220	Grease nipple
11	STA3410	Circlip
12	6205 2RS	Ball bearing
13	STA3514	Circlip
15	R15-143	Distance bushing
16	R30-6	Bearing arm
17	STA5348	Hex cap screw
18	STA6033	Washer
19	R27-91	V-belt
31	R27-227Z	Clamping ring
32	STA2011	Feather Key
33	STA5018	countersunk head screw
35	R60-61.1E	Base for motor
37	STA5810	Hex Nut
38	STA5895	Hex flange nut
38a	STA5812	Hex Nut
39	AR31-305	Stud bolt
40	R20-26.1	Support bracket for belt
41	STA5447	Hex cap screw
42	STA6026	Washer
43	STA5345	Hex cap screw
44	R27-16	Fork for belt tightener, lower
45	R20-19	Fork for belt tightener
46	*1) .. R20-275	Compression spring
46a	*2) .. W40P-275	
47	R15-46	Toothed rack shaft
48	STA5815	Hex Nut
49	STA3407	Circlip
50	STA6040	Washer
51	STA5066	Hex cap screw
53	R15-142-USPUL	Grease gun
54	STA6043	Shim washer
55	*3) .. R40-129	V-belt pulley
55a	*4) .. R40-129A	
56	STA2030	Feather Key
57	STA3425	Circlip
58	*3) .. R40-90Z	V-belt
58a	*4) .. R40-90.1Z	
.....	*1) .. Standard version.....	
.....	*2) .. Pizza version	
.....	*3) .. 50 Hz power supply	
.....	*4) .. 60 Hz power supply	



- R15-59.1Z** Motor pulley, assembly
R27-6Z Pulley bearing arm, assembly
R15-41.1Z Pulley assembly
R15-18Z Bearing bracket, assembly


PLANETARY HEAD

FIG NO.	ORDER NO.	DESCRIPTION
.....	*1) .. R40-2.2M	Planetary head, assembly
.....	*3) .. R40-2.4MR	
.....	*2) .. R40-2.15M	
.....	*4) .. R40-2.17MR	
1	R40-101Z	Needle bearing compl.
2	R40-1	Gear wheel rim
3	R40-2Z	Eccentric head, kit
3.1	*1) .. R40-2.2Z	Eccentric head assembly
.....	*2) .. R40-2.3Z	
4	R40-3Z	Main bearing, assembly
5 + 26	STA3526	Circlip
6	R40-30Z	Main shaft, assembly
7	R40-31	Rim pinion
8	R40-32	Rim pinion, lower
9	*1) .. R40-33Z	Bayonet shaft, kit
.....	*2) .. AR40-33.5Z	Shaft, bayonet double, kit
10	R40-34	Distance piece
11	R40-36Z	Eccentric disc mounted
12	R40-96	Needle bearing
13	R40-97	Ball bearing
14	R40-98	Ball bearing
15	R40-99	Ball bearing
18	R40-100	Ball bearing
20	R40-141	Distance tube
21	STA2030	Key
22	STA2040	Key
24	STA3474	Circlip
25	STA3520	Circlip
27	STA5263	Screw
28	STA5333	Screw
29	W40-209	Seal ring
30	W40-272	Headcap
32	*1) .. AR40-162H	Plastic cap, white
.....	*3) .. AR40-162G	Plastic cap, grey
33	STA5645	Screw
34	AR40-41	Screw
36	STA6057	Lockwasher
37	STA6460	Grooved pin
41	STA6029	Washer
.....	*1) .. Standard version	
.....	*2) .. Pizza, standard frame version	
.....	*3) .. Stainless steel frame version	
.....	*4) .. Pizza, Stainless steel frame version	




MACHINE COLUMN

FIG NO.	ORDER NO.	DESCRIPTION
1	R15-245	Arrow sign
2	STA3002	Cable gland
3	STA6580	Threaded bushing
4	AR30-212	Blanking plug
5	AR30-213	Levelling feet
6	STA5045	Screw
7	AR31-22.180	Grate
9	STA2515	Bearing bushing
10	STA2520	Bearing bushing
12	AR30-214.3	Adjustment plate, 3 mm
13	AR30-214.6	Adjustment plate, 6 mm
14	STA3014	Cable gland nut
15	STA5017	Screw
16	STA5080	Screw
17	STA5232	Self tapping Screw
18	AR31-22.17R	Cover plate
19	AR31P-21P	Top cover
22	STA6510	Plug button
23	AR31-270	Cover plate, upper
24	AR31-271M	Cover plate, lower
25	STA5834	Lock Nut
26	STA6027	Washer
27	AR31-148E	Stay
28	STA5066	Screw
32	STA6165	Washer




SAFETY GUARD

FIG NO.	ORDER NO.	DESCRIPTION
1	56AR31-102.1	Mounting shaft
1.1	STA3143	O-ring
2	56AR31-107M	Shield hinge
4	56AR41-21M	Safety guard removable
5	56AR41-22	Safety guard fixed
6	56AR41-280	Filling tray Grey
8	STA5047	Hex flange bolt
9	STA5332	Hex flange bolt



LIFTING SYSTEM

FIG NO.	ORDER NO.	DESCRIPTION
1	AR30-86.2	Lifting motor
2	AR31-127	Roller shaft
3	AR31-128	Roll for bowl clamping
4	AR31-519.4	Pin
5	AR31-86.15	Fitting for lifting motor
6	STA2522	Bearing bushing
7	STA3467	Circlip
8	STA5088	Screw
9	STA5690	Shoulder bolt
10	STA5827	Nut
11	STA6205	Cotter pin
12+13+10	R30-69Z	Tensile rod
14	AR31-68Z	Bowl arm, guide rod
15	AR41-23/24Z	Bowl arm set, colour black**
**	For other colours, please contact Varimixer A/S	
16	STA5312	Screw
17	STA6053	Spring lock washer
18	STA6027	Washer
19	STA6026	Washer
20	STA6057	Spring lock washer
21	STA5728	Screw
22	STA6517	Blanking plug



ATTACHMENT DRIVE

FIG NO.	ORDER NO.	DESCRIPTION
1	R15-5	Bearing hub
2	R20-9	Worm wheel
3	R15-10	Gear case
4	R15-11	Gear case cover
5	R20-49	Worm shaft
6	R20-52Z	Gear shaft assembly
7	R15-50Z	Attachment drive shaft assembly
8	STA2032	Key
9	R20-104	Ball bearing
10	R20-107	Oil seal
11	R20-300	Gasket
12	R20-300Z	Gasket kit
13	R20-301	Gasket
14	STA2007	Key
15	STA2011	Key
16	STA3410	Circlip
17	STA5018	Screw
18	6005 2RS	Ball bearing
19	STA5433	Screw
20	STA5908	Seal washer
21	STA6020	Washer
23 + 29	STA6056	Lock washer
24	R15-211	Rubber ring
25	R15-215	End cover
26	R15-8M0	Engagement hub, white
27	STA5322	Screw
28	STA5561	Finger screw
29	R20-249	Label, "Greased for life"
30	STA6316	Pin



..... Identification of motor, see page 18.






31 ..Drive unit, cable included

..... **Motor [R40-85.1](#), 1,1 kW**
 07040-1130 ...
 07040-1130R. stainless steel frame version
 **Motor [W60-85.52](#), 2,2 kW**
 07030-2202
 07030-2202R stainless steel frame version
 **Motor [R60-85.1](#), 1,9 kW**
 07040-1901
 07040-1901R stainless steel frame version
 07040-1930 ... Pizza version
 07040-1930R Pizza and stainless steel version

32 ..Drive unit with attachment Drive, cable included

..... **Motor [R40-85.1](#)**
 07030-1140 ... 3F 1,1kW
 07030-1140R. 3F 1,1kW, stainless steel frame version
 **Motor [W60-85.52](#), 2,2 kW**
 07030-2212
 07030-2212R stainless steel frame version
 **Motor [R60-85.1](#), 1,9 kW**
 07040-1921
 07040-1921R stainless steel version
 07040-1940 ... Pizza version
 07040-1940R Pizza and stainless steel frame version
 **Motor [R60-85.3](#), 1,9 kW, 3x200/50-3x208/60**
 07040-1942
 07040-1942R stainless steel frame version



 R15-8Z	 R30-10.5Z	 R30-10.5M	 R20-300Z	 R15-50Z R20-52Z
AR30-10Z				

MICROSWITCHES

FIG NO.	ORDER NO.	DESCRIPTION
1	56CR10-111M	Safety Switch
2	STA5320	Hex cap screw
3	STA5837	Lock Nut
4	STA5721	Hex cap screw
5	AR31-53	Bracket for switch
6	STA5253	Screw
7	AR61-522	Microswitch











FIG NO.	ORDER NO.	DESCRIPTION
1	AR31-194.19M	Cable, safety switches
2	AR31-194.90M	Signal cable
3	AR30-194.41M	Lifting signal cable
5	AR31-194.87M	Supply cable
6	AR31-194.62M	Motor supply cable
7	AR31-194.59M	Power supply cable, with neutral
	AR31-194.65M	Power supply cable, without neutral



ELECTRIC COMPONENTS

FIG NO.	ORDER NO.	DESCRIPTION
1	AR30-453.1.....	Physical earth label
2	AR31-152.2M.....	Enclosure assembly
3	AR31-194.18M.....	Safety cable
4	AR31-194.82M	Supply cable
5	AR31-194.88M.....	Supply cable
6	AR31-194.91M.....	Signal cable
7	AR31-530.16M	Front panel assembly
8	STA5232	Self tapping Screw
9	STA5897	Hex flange nut

Frequency	Voltage	Motor	Power	Current	Connection	Contactor,	Thermal Overload Relay	Overload relay setting
[Hz]	[V]	[Item no.]	[kW]	[A]		[fig.22]	[fig.23]	[fig.23a] [A]
50	3x230	R40-85.1	1,1	5	Δ	AR31-88.104+ AR31-88.146	AR31-88.203	6,3
	3x380-415			2,9	Y		AR31-88.201	3,6
60	3x480				2,6			AR31-88.115 + AR31-88.146
	1x208	W60-85.61	1,5	10	Y	AR31-88.205	13	
	3x208	R60-85.3	1,85	8,3	Δ	AR31-88.204	10	
50	3x230	R60-85.1		8,4	Δ		AR31-88.104+ AR31-88.146	11
	3x380-415			4,9	Y	AR31-88.203	6,1	
60	3x480				4,4		AR31-88.115+ AR31-88.146	AR31-88.202



FRONT PANEL ASSEMBLY




FIG NO.	ORDER NO.	DESCRIPTION
1	AR31-174.35.....	Switch emergency stop
2	AR31-174.36.....	Switch mounting Collar
3	AR31-174.37	Switch contact block
4	AR31-194.41M	Grounding cable
5	AR31-194.82M	Supply cable
6	AR31-530.6.....	Front Panel
7	AR31-532.11	Control board
8	AR31-562	Gasket
9	STA5762	Screw
10	STA5897	Hex flange nut

ENCLOSURE BOX ASSEMBLY

FIG NO.	ORDER NO.	DESCRIPTION
1	AR31-418.9M.....	Enclosure
2	AR31-418.6.....	Enclosure cover
3	AR31-414.1	Power Supply
4	AR30-425.1.....	Electronic limit switch
5	AR31-194.58M.....	Wire harness
6	AR31-194.64M.....	Wire harness
7	AR31-194.86M.....	Wire harness
8	STA6161	Cable tie mount
9	*1) .. AR30E-430	Isolating transformer
10	STA3002	Cable gland
11	AR30-457	Screw terminal
22	*2)	Contactor
23	*2)	Thermal Overload Relay

..... *1) .. With isolating transformer, >380V without neutral

..... *2) .. See page 18



BOWLS AND MIXING TOOLS


FIG NO.	ORDER NO.	DESCRIPTION	
1	R40-75M	A	Bowl
1	R40-75AM	B	Bowl
2	R40-78M	A	Hook
2	W40-78M	A	Hook, double pin, pizza
2	R40-78AM	B	Hook
3	R40-27.2M	A	Flat beater
3	R40-27A2M	B	Flat beater
4	R40-28M	A	Stirring whip
4	R40-28MS	A	Whip, reinforced
4	R40-28MT	A	Whip with thinner wires
4	R40-28AM	B	Stirring whip
6	14R40	A	Wing whip
6	14R40A	B	Wing whip
7	39R40	A	Powder mixer
8 **	42AR41	A	Scraper with blade (PA) and holder
8 **	42AR41T	A	Scraper with Blade (PTFE) and holder
8 **	42AR41A	B	Scraper with blade (PA) and holder
8 **	42AR41AT	B	Scraper with Blade (PTFE) and holder
9	42AR41-202	A	Scraper with Blade (PA)
9	42AR41-202T	A	Scraper with Blade (PTFE)
9	42AR41A-202	B	Scraper with Blade (PA)
9	42AR41A-202T	B	Scraper with Blade (PTFE)
10	42R40-105		Scraper holder
11.....	42R40-204	A	Blade (PA) for scraper
11.....	42R40-204T	A	Blade (PTFE) for scraper
11.....	42R40A-204	B	Blade (PA) for scraper
11.....	42R40A-204T	B	Blade (PTFE) for scraper
12	STA5652		Screw
13	STA6029		Washer
14	48R20Z		Rack for mixing tools
15	22R40	A	Bowl truck
15	22R40A	B	Bowl truck
16	22R276		Bowl truck Handle
17	22R30-41		Bowl Truck Frame
18	22R140.3	A	Spacer
18	222R140.1-1W	B	Spacer
19	STA5642		Socket head screw
20	22R30-520		Castor wheel
21	STA5608		Hex socket set screw
22	STA5675		Slotted set screw

..... All materials Stainless steel, unless otherwise specified

..... ** Adapted by mounting

..... A Full size bowl


..... B Half size bowl




1




2




3




4




6




7



8




9




11


14



15



17



22

16

18

21

20

19



Varimixer

Varimixer A/S
Elementfabrikken 9
DK-2605 Brøndby
P: +45 4344 2288
E: info@varimixer.com
www.varimixer.com

