

P24FL Series Parts List

Note: The P24F packaged Freon Lowside machine was introduced in 1986. The original con utilized Allen-Bradley NEMA components, and in mid-1993 changed to include Cutler components. The control panel was changed to Allen Bradley I.E.C. components in mid-1 items will be listed below as replacments.

Control Panel, Allen-Bradley I.E.C Components

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A2590G1	1	GAGE, 4 1/2" DIAMETER, 30"-150# 1/4" BC, R22 R22 Suction Pressure Gage
12A2590G11	1	GAGE, 4 1/2" DIAMETER, 30"-400# 1/4" BC, R22 R22 Discharge Pressure Gage
12A2590G18	1	GAGE, DURO, 4 1/2" DIA, 30" TO 150 LBS. R404A Suction Pressure Gage
12A2590G19	1	GAGE, DURO, 4 1/2" DIA, 30" TO 400 LBS. R404A Discharge Pressure Gage
12A2590G23	1	GAGE, 4 1/2" DIA, 30" TO 150 L R-507 Suction Pressure Gage
12A2590G24	1	GAGE, 4 1/2" DIA, 30" TO 400 L R-507 Discharge Pressure Gage
12A2117D01	1	HI/LOW PRESSURE SWITCH (Optional)
12A7500E60	1	A/B SELECTOR SWITCH, 2 POSITION "1SS" Hand/Auto Switch
12A7500E74	1	CONTACT BLOCK/MOUNTING LATCH, 1-NO, 1-NC Contact Block for 12A7500E60 Selector Switch
12A7500E57	1	A/B PUSH BUTTON SWITCH (RED) "1PB" Stop Push-Button Switch
12A7500E76	1	CONTACT BLOCK/MOUNTING LATCH, 1-NC Contact Block for 12A7500E57
12A7500E56		A/B PUSH BUTTON SWITCH (GREEN) "2PB" Start Push-Button Switch
12A7500E75	1	CONTACT BLOCK/MOUNTING LATCH, 1-NO Contact Block for 12A7500E56
12A7500E58	1	A/B PUSH BUTTON SWITCH (WHITE) "3PB" Manual Harvest Switch
12A7500E75	1	CONTACT BLOCK/MOUNTING LATCH, 1-NO Contact Block for 12A7500E58
12A7500E78B	1	BLUE LED LIGHT MODULE/MOUNTING LATCH "1LT" Freezing
12A7500E78W	1	WHITE LED LIGHT MODULE/MOUNTING LATCH "2LT" Liquid Feed
12A7500E78R	1	RED LED LIGHT MODULE/MOUNTING LATCH "3LT" Thawing

P24FL Series Parts List

Control Panel, Allen-Bradley I.E.C Components (Con'd)

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A7520E35	3	BULB #755, A/B 2TL5/2TL7 PILOT LIGHT, 6.3V
12A7503E22	2	THAW TIMER, 8 PIN PLUG-IN, 100-240V., 50/60HZ "2TR" or "DT"
12A7503E39	2	TIMER BASE, 8 PIN, GUARDED TERMINAL
12B7503E21	1	ELAPSED TIME INDICATOR, 220V, 60HZ, DIN RAIL MOUNT
12B7503E20	1	ELAPSED TIME INDICATOR, 220V, 50HZ, DIN RAIL MOUNT
<p>Note: A timer is the standard method to control the "Freeze Cycle" on P24FL Units. Analogue were used until the mid-1990's at that time a change was made to digital timers which are still used. Please verify the type timer being replaced along with the control voltage to ensure the replacement is provided.</p>		
12A7503E3K	1	KIT, EAGLE DIGITAL TIMER , 208/240V 50/60 HZ Primary Freezing Timer
12A7503E4K	1	KIT, EAGLE DIGITAL TIMER, 120 VOLT 50/60HZ Primary Freezing Timer
12A7503E04	1	TIMER, 0-60MIN EAGLE SIGNAL #HP56B601, 240V.,60HZ Analogue Primary Freezing Timer
12A7503E03	1	TIMER, 0-30MIN EAGLE SIGNAL #HP55B601, 240V.,60HZ Analogue Primary Freezing Timer
12A7503E2	1	TIMER, 0-15MIN EAGLE SIGNAL #HP518B601, 240V.,60HZ Analogue Primary Freezing Timer
12A7503E05	1	TIMER, 0-10MIN EAGLE SIGNAL #HP54B601, 240V.,60HZ Analogue Primary Freezing Timer
12A7503E06	1	TIMER, 0-60MIN EAGLE SIGNAL #HP56A601, 120V.,60HZ Analogue Primary Freezing Timer
12A7503E02	1	TIMER, 0-30MIN EAGLE SIGNAL #HP55A601, 120V.,60HZ Analogue Primary Freezing Timer
12A2117C03	1	FREEZER PRESSURE SWITCH, ASCO PG16A Option to Freeze Timer, requires Transducer (12A2117T03)
12A2117T03	1	TRANSDUCER, ASCO RANGE 6-60 PSI Used with Freezer Pressure Switch 12A2117C03
12A7517E27	1	RELAY, AB, 10A, 2-NO/2-NC, 208/240 "1CR" Relay (Replaces 12A7517E02-700N200A2)
12A7517E28	2	A/B RELAY, 10A, 3-NO/1-NC, 208/240 "2CR" & "3CR" Relay (Replaces 12A7517E02-700N200A2)
12A7517E32	1	RELAY, 10A, 2 NO/2 NC, 120V "CR1" Relay for 120 Volt Controls

P24FL Series Parts List

Control Panel, Allen-Bradley I.E.C Components (Con'd)

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A7517E33	2	RELAY, 10A,3 NO/1 NC, 120V "CR2 or CR3" Relay for 120 Volt Controls
12A7518E30		A/B AUX. CONTACT, 3A, 1 NO/1 NC, (SIDE MOUNT)
12A7503E38	1	A/B TIMER, PNEUMATIC, ON-DELAY FOR 700-CF RELAY Time Delay for Cutter Motor on "1CR" Relay
12A7530E54UL	1	MANUAL MOTOR STARTER, 1.6-2.5A
12A7530E55UL	1	MANUAL MOTOR STARTER, 2.5-4.0A
12A7530E56UL	1	MANUAL MOTOR STARTER, 4.0-6.3A
12A7530E57UL	1	MANUAL MOTOR STARTER, 6.3-10.0 AMP
12A7518E33UL	2	AUX. CONTACT, 6A, 1 NO TRIP, 1 NC TRIP Auxillary for Water Pump and Cutter Motor Starter
<p>Note: If replacing Water Pump Or Cutter Motor Contactor in Pre-1993 Allen Bradley Panel or Cutler-Hammer Control Panel, the Contactor and Overload Relays listed below will be require drawing available upon request). Amp rating on motors should be set in compliance with nameplate amp rating when setting the overload relay.</p>		
12A7516E24	1	A/B CONTACTOR, 12-AMP, 3 POLE, 208/240V W/1-NO AUX "2M" Water Pump or "3M" Cutter Motor (12-amp Max) Water Pump or Cutter Motor Contactor (12-amp Max)
12A7538E11	1	OVERLOAD RELAY, 1-5AMP SOLID STATE Cutter Motor or Water Pump 460 Volt
12A7538E12	1	OVERLOAD RELAY, 3.2-16AMP SOLID STATE Cutter Motor or Water Pump 230 Volt
12A7519E31		TRANSFORMER, HEVI-DUTY 1KVA 240/480-120/240 60HZ
12A7519E24		TRANSFORMER, HEVI-DUTY, 1KVA, 380/400/50 HZ,
12A7515E21S	1	CIRCUIT BREAKER, 3A, 2 POLE, 4 "CB4" Control Circuit (460 Volt Machine)
12A7515E22S	1	CIRCUIT BREAKER, 6A, 2 POLE, 4 "CB4" Control Circuit (230 Volt Machine)

P24FL Series Parts List

Freezer Components

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A2600G08	1	FREEZER COVER GASKET 27" x 22" x 3/16"
12B2145C04	1	P24 POLYCARBONATE FREEZER COVER W/VENT HOLE <i>(Requires the Foot Valve & Bulkhead Fitting below)</i>
12A4200B1007	1	VALVES, FOOT (PLASTIC), 1-1/2" MPT
12A2450B13	1	BULKHEAD FITTING, (PVC) 1 1/2"
19T4001S0915	4	P24 FREEZER COVER RETAINING RINGS
12A2240H4109	12	NUT, WING, BRASS, 3/8"-16NC
12A2250A12	12	WASHER, CUT 3/8" x 1" O.D. SS
12B2185V12	264	1" VENT TUBE WATER DISTRIBUTOR, 16GA WHITE
12B2185V21	198	1-1/4" VENT TUBE WATER DISTRIBUTOR, 16GA BLUE
12B2185V31	144	1-1/2" VENT TUBE WATER DISTRIBUTOR, 16GA BLUE
12A4009R01		PLUG, RUBBER 7/8" OD X 2" LG FOR 1" TUBES <i>Requires 3/8" Bolt, Nut & Washers</i>
12A4009R02		PLUG, RUBBER 1"OD X 2 1/2"LG FOR 1-1/4" TUBES <i>Requires 3/8" Bolt, Nut & Washers</i>
12A4009R03		PLUG, RUBBER 1 1/4"OD X 2 1/2" FOR 1-1/2" TUBES <i>Requires 3/8" Bolt, Nut & Washers</i>
12A2215H1119	1	CAP SCREW, 3/8"-16NC X 3" LONG
12A2240A1109	1	NUT, HEX 3/8"-16NC S.S.
12A2250A12	2	WASHER, CUT 3/8" x 1" O.D. SS <i>(Use this washer for 1" tubes)</i>
12A2250A109	2	WASHER, CUT 3/8" x 7/8" O.D. SS <i>(Use this washer for 1 1/4", 1 1/2" tubes)</i>
12A2625G02	1	GAGE GLASS 1/2" X 27-1/8" LONG <i>For Use with Brass Hand Wheel Gage Cock Valves</i>
12A2625G11	1	GAGE GLASS, 1/2" X 28 3/8" LONG <i>For Use with Service Wrench Gage Cock Valves</i>
12A2625G05	1	GAGE GLASS 1/2" X 29" LONG <i>For Custom Application (Cut to Fit)</i>
19T2635G06	1	GAGE GLASS GUARD SET, 27 1/4" <i>For Use with Service Wrench Gage Cock Valves</i>
12A2635G06	1	GAGE GLASS GUARD 60" LENGTH <i>For Custom Application (Cut to Fit)</i>
12A4199V26	2	GAGE GLASS PACKING O-RING FOR 1/2" DIAMETER
12A4200J0405	1	UPPER GAGE COCK VALVE, STEEL <i>Replaced Brass Hand Wheel Valve - May 1999</i>
12A4200J0406	1	LOWER GAGE COCK VALVE, STEEL <i>Replaced Brass Hand Wheel Valve - May 1999</i>
12A3050C0301	2	PIPE NIPPLE, 1/2" X 1-1/2" LONG
Note: Serial number of unit required for purchase of relief valves. Relief valve setting must not exceed the design pressure of the vessel.		
12A4200L0411	2	RELIEF VALVE SET @ 275#, 1/2" MPT x 3/4" FPT
12A4200M0402	1	3-WAY VALVE 1/2" NPT

P24FL Series Parts List

Cutter Drive

Note: The cutters on the original P24 units were nickel plated carbon steel driven by a belt & system off the bottom of a galvanized water tank. In 1977, the design was changed to the curr drive setup and at the same time, the entire water tank and cutter was changed to stainl. Reliance one piece gearmotors were used until a design change in 1998 to the separate Grov and U.S. Motor. Note: Grove and Reliance reducers require different mounting configuratio not interchangeable.

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A2900M0701	1	GEARMOTOR, RELIANCE R56WG21A ,1HP 230/460V-3P-60HZ <i>For Belt-Driven Cutters Prior to 1977</i>
12A2900M0702	1	GEARMOTOR, RELIANCE, 1HP 230/380/460V-3P-50/60HZ <i>Direct Drive Units with Stainless Steel Tanks Until 1998</i>
12A4080S1	1	SEAL, KIT #07901938AC FOR RELIANCE 1HP GEARMOTOR
12A2900M0704	1	GEARMOTOR, GROVE 15:1, 1-1/2HP, 230-460V-3P-50/60HZ <i>Direct Drive Units Built Since 1998</i>
12A2900M0705	1	MOTOR, 1 1/2 HP, FOR GROVE GEARMOTOR 12A2900M0704
12A4030R1	1	REDUCER, GROVE 10:1 FOR GEARMOTOR 12A2900M0704
12B2615D03	1	P24 DRIVE GEAR , ALUMINUM / BRONZE 9-1/4" PD, 72 TEETH <i>Replaces Cast Iron Gear</i>
12B2060B01	1	DRIVE GEAR HUB, STAINLESS STEEL 1-1/8" BORE <i>For use with Grove gearmotor</i>
12B2060B04	1	DRIVE GEAR HUB, 7/8" BORE STAINLESS STEEL <i>For Aluminum Bronze Gear (Will not work with Cast Gear)</i>
12A2215G111	3	CAP SCREW, 5/16"-18NC X 1" SS HEX HEAD
12A2250B108	3	WASHER, LOCK 5/16" SS (300 SERIES)
19T2615R03	1	P24 FINISHED RING GEAR
12A3040S02	6	CUTTER BEARING ROLL PIN 3/16" X 1/2" <i>(This pin used to secure ring gear to cutter)</i>
126087	1	BELT 630XH200 DIAMOND FOR P24 BOTTOM DRIVE CUTTER

Cutter Internals

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
19T2035B01	2	CUTTER BLADE, P24, 10" LONG
19T2010A11	2	P24 CUTTER ADAPTOR PLATE
19T4130T04	8	ADAPTOR PLATE SPACER, 5/8" O.D. S.S. TUBING x 7/8" LG.
12A2226H1117	8	MACHINE SCREW, FLAT HEAD SS, 3/8"-16NC x 2-1/2" LG <i>For Adaptor Plates</i>
12A2240A1309	8	NUT, HEX 3/8"-16NC S.S.
19T2025B0105	1	BEARING BRACKET ASSEMBLY FOR P24
19T2163D0302	1	TINES DISC, P24 CYLINDER ICE
19T4130C02	1	P24/34 TINES DISC HUB SPACER
19T4090S03	1	P24/34 CUTTER SHAFT
19T4065R01	1	P24/34 CUTTER RETAINING SPACER
19T2165K2434	1	P24/P34 CUTTER REPAIR KIT <i>Kit Contains Items for Cutter Maintenance and Rebuild</i>

Water Tank/Circulating Water

P24FL Series Parts List

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
19T2165C03	1	S.S. CUTTER/TANK ASSEMBLY FOR P24 <i>Includes complete cutter assembly and drive train, water tank tines disc, & bearing support. Does not include water pump or internal water piping (specify tube size when ordering)</i>
12A2600G09	1	WATER TANK GASKET 30" x 27" x 3/16"
12A4200H0606	1	VALVE, FLOAT, ROBERTS 3/4" MPT, LEAD FREE BRASS Current Valve since 1994 (Requires 21" Water Box Width)
12A4200HP01	1	STEM FOR ROBERTS FLOAT, 10" LG x 1/4-20 THREAD BRASS
12A4200HP02	1	FLOAT FOR ROBERTS, 4" CYL x 6" LG W/1/4-20 THREAD
12A4200H0801	1	FLOAT VALVE, HUDSON 1" FPT
127668R	1	FLOAT VALVE ASSY, ROBERTS #R400-3/4" W/STEM & FLOAT
12A4200A0607LF	1	VALVE, WATER, 3/4", LEAD FREE, GRANZOW, LESS COIL Water Tank Flush Valve (Replaces Sporlan & Jake Evans)
12A2105C42K	1	ASSEMBLY, COIL, 230/240V GRANZOW
12A2105C41K	1	ASSEMBLY, COIL, 110/120V GRANZOW
126223	1	COIL FOR SPORLAN SOLENOID, 230V/60HZ
12A2105C06	1	COIL FOR SPORLAN SOLENOID, 120 VOLT, 50/60 HZ
12A2105C17	1	COIL, J/E #G-23, 208/230V.,50/60
12A4170T01	1	THERMOMETER, WEKSLER, 2" DIAL, 4" STEM 25-125 DEG F.
12A4205G0601LF	1	3/4" STOP VALVE, LEAD FREE BRONZE
12A4181T09	16	TUBING, PLASTIC, CLEAR, 2" ID x 3/16" THK Circulating Water (Priced per ft.)
12A4181T06	12	TUBING, TYGON B-44-3, 1-1/2" OD x 1-1/4" ID Overflow (Prior to 1994) (Priced per ft.)
12A4181T09	12	TUBING, PLASTIC, CLEAR, 2" ID x 3/16" THK Overflow (After 1994) (Priced per ft.)
12A4020S02	1	PUMP, 1 1/2HP SCOT #AVF51 230/380/460V-3P-50/60HZ Cast Iron Housing, Sidewall Mount (R-12 Units)
12A2600G03	1	PUMP SUCTION GASKET, 7 1/2" x 4 1/2" x 3/16"
12A4020S01	1	PUMP, SCOT #AVF18, 3HP, 230/460V-3P-60HZ Cast Iron Housing, Sidewall Mount (R-22 Units)
12A4020G23	1	PUMP, GOULD SSH, 3 HP, 208-230/460V-3P-50/60HZ Stainless Steel Housing, Bottom Flange Mount
12A4080S13		SEAL, PUMP FOR GOULD 2 & 3HP PUMP
12A2600R08	1	GASKET RED RUBBER 2"ID X 6 1 Pump Discharge Gasket for S.S. Water Pump
12A2600R09	1	GASKET, P24/P34 S.S. PUMP Pump Suction Gasket for S.S. Pump
12A2532F0706	1	FLANGE, ROUND P.V.C., THREADED P24 -PUMP DISCHARGE
12A2450E12	1	ELL, PVC, 90 DEG. 2" MPT X 2" INSERT

P24FL Series Parts List

Liquid Line (Level Column, Steel)

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A7500E27	1	HANSEN LEVEL CONTROL PROBE, 40" LENGTH FOR R22
12A7500E2705	1	HANSEN LEVEL CONTROL PROBE, 40" LENGTH FOR 404A
12A7500E28	1	HANSEN VARI-LEVEL CONTROL, 3-RELAY OUTPUTS, 240-50/60
12A7500E281	1	HANSEN VARI-LEVEL CONTROL, 3-RELAY OUTPUTS, 120/60
12A4200C0901	1	EXPANSION VALVE, HANSEN 1-1/4" SOCKET WELD
12A4200A0604	1	VALVES, SOLENOID, HANSEN #HS8 3/4" W/STRAINER
12A4200A1001	1	VALVES, SOLENOID, HANSEN #HS7, 1-1/4" PORT SW
126229	1	COIL, HANSEN, 208/240V-50/60HZ
12A2105C08	1	COIL, HANSEN, 115V-50/60HZ (1/2" FITTING)
12A4199V52	1	REPAIR KIT FOR HANSEN HS7
12A4200G0301	1	CHARGING VALVE, 3/8 MPT X 1/2 SAE FLARE
12A4200G0804	1	VALVES, ANLGE, 1" SOCKET WELD
12A4200G1202	1	VALVES, ANGLE 1 1/2" , SOCKET WELD
12A2140C02	4	FILTER DRIER CORE #RCW-48 FOR R-404A
12A2140C01	4	FILTER DRIER CORE #RC-4864 FOR R-22

Liquid Line (Level Column, Copper)

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A7500E27	1	HANSEN LEVEL CONTROL PROBE, 40" LENGTH FOR R22
12A7500E28	1	HANSEN VARI-LEVEL CONTROL, 3-RELAY OUTPUTS, 240-50/60
12A7500E281	1	HANSEN VARI-LEVEL CONTROL, 3-RELAY OUTPUTS, 120/60
12A4200C0701	1	HAND EXPANSION VALVE, 7/8" ODS
12A4200A07051	1	VALVES, SOLENOID SPORLAN ME25-HP 7/8" ODF LESS COIL
12A2105C33	1	COIL, SPORLAN, MKC-2 DUAL JAU, 120/208-240, 50/60HZ,
12A4199V69	1	REPAIR KIT, FOR ME25S-HP
12A2105C16	1	COIL, #MKC-2 FOR SPORLAN 208/240V-50/60HZ
12A4199V39	1	REPAIR KIT #KSB25/E25 FOR SPORLAN ME25S
12A4200A0401	1	SOLENOID VALVE, ALCO 1/2" ODC, 5-16" PORT, LESS COIL
12A2105C01	1	COIL, ALCO AMG, 208/240V-50/60HZ
12A4200G0301	1	CHARGING VALVE, 3/8 MPT X 1/2 SAE FLARE
12A2140C01	4	FILTER DRIER CORE #RC-4864 FOR R-22

Liquid Line (High-Side Float)

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A4200K0601	1	EXPANSION VALVE #700XHF PILOT WITH 1/16" BLEED HOLE
12A4200K0602	1	PILOT FLOAT #275AF LESS CHAMBER, 5/64" ORIFICE
12A4200K0603	1	PILOT FLOAT #275AF WITH CHAMBER, 5/64" ORIFICE
12A2140C03	3	SPORLAN CORE # RC-10098

P24FL Series Parts List

Thawing Gas Line

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A4200A1403	1	VALVES, HANSEN #HS4AE, 2" EXTERNAL PORT, 240V-60HZ Replaces Alco 905H-18, Hubbell FS2004 & RS S4AE
126229	1	COIL, HANSEN, 208/240V-50/60HZ
12A2105C08	1	COIL, HANSEN, 115V-50/60HZ (1/2" FITTING)
126246	1	COIL, RS #201402 (240/60HZ) FOR S4AE & S7A
126247	1	COIL, RS #201406, A3M PKGD, (230/50HZ) FOR S4AE & S7A
12A4200B1403	1	CHECK VALVE, HANSEN 2" (9-7/8" LONG, FEMALE FLGS) Note: Henry & Hubbell check valves both obsolete
12A4140S18	1	STRAINER, HANSEN ST200 2"

Valves-Flanges-Gaskets

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A4200G0201		VALVES, 1/4" MPT X 1/4" SAE
12A4200G0202		ANGLE VALVE, 1/4" MPT x 1/4" FPT
12A4200G0301		CHARGING VALVE, 3/8 MPT X 1/2 SAE FLARE
12A4200G0402		ANGLE VALVE, 1/2" MPT x 1/2" FPT
12A4200G0409		VALVES, ANGLE, HANSEN, 1/2" FPT X 1/2" FPT
12A4200G0603		ANGLE VALVE, 3/4" FPT x 3/4" FPT
12A4200G0804		VALVES, ANLGE, 1" SOCKET WELD
12A4200G1202		VALVES, ANGLE 1 1/2", SOCKET WELD
12A4200G1406		VALVE, 2" SOC WELD HANSEN GS20
12A4200G1408		VALVE, ANGLE, 2" SOCKET WELD W
12A4200G1604		VALVE, 2 1/2" SOCKET WELD HANS
12A4200G1806		VALVES, GLOBE, STOP 3" WELD HANSEN
12A2538S0106		FLANGE SET, 3/4" FPT, HANSEN 2-BOLT
12A2538S0107		FLANGE SET, 1" FPT, HANSEN 2-BOLT
12A2530G0206		FLANGE, 2" HENRY GROOVE SOCKET WELD
12A2530T0206		FLANGE, 2" HENRY TONGUE SOCKET WELD
12A2535T0106		FLANGE ADAPTOR, 2" MALE TO MALE
12A2530G0208		FLANGE, 2-1/2" HENRY GROOVE SOCKET WELD
12A2530T0208		FLANGE, 2-1/2" HENRY TONGUE SOCKET WELD
12A2530G021		FLANGE, 3" HENRY GROOVE SOCKET WELD
12A2530T021		FLANGE, 3" HENRY TONGUE SOCKET WELD
12A2530G021		FLANGE, 3" HENRY GROOVE SOCKET WELD
12A2530G0212		FLANGE, 4" HENRY GROOVE SOCKET WELD
12A2530T0212		FLANGE, 4" HENRY TONGUE SOCKET WELD
12A2600F01		FLANGE GASKET FOR 3/4" & 1" 2-BOLT FLANGE
12A2600F04		GASKET, 2" HENRY
12A2600F05		GASKET, 2-1/2" HENRY
12A2600F06		GASKET, 3" HENRY
12A2600F08		GASKET, 4" HENRY

P24FL Series Parts List

Pressure Line & Fittings

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A4182S03		TUBING, 1/4" OD TYPE 304 STAINLESS (PRICED PER FT)
12A2452M02		CONNECTOR, MALE, 1/4" MPT x 1/4" TUBING
12A2452F01		CONNECTOR, FEMALE 1/4" FPT x 1/4" TUBING
12A2452E01		ELL, 90 DEG 1/4" MPT X 1/4" TUBING
12A2452T01		TEE, UNION, 1/4" x 1/4" x 1/4" TUBING
12A2452T02		TEE, 1/4" TUBING x 1/4" TUBING x 1/4" MPT
12A2100C0303		CLAMPS, 1/4" OD TUBING